


Drainage Engineering (BTAI3103)

Module 4
Construction of Pipe Drainage Systems
(Lecture-14: Materials for Pipe Drainage
Systems)


DEPARTMENT OF AGRICULTURAL ENGINEERING, SOABE CENTURION UNIVERSITY OF TECHNOLOGY AND MANAGEMENT PARALAKHEMUNDI, ODISHA



Materials for Drain Pipe

* The materials used for manufacturing drain pipes are

- o clay,
- o concrete, and
- o plastics.
- Criteria for pipe quality and for selecting the most suitable type of pipes are
 - o resistance to mechanical damage,
 - o resistance to chemical damage,
 - o longevity, and
 - o costs




Clay Tiles

- ✓ Clay tiles used to be predominant type of drain pipes in Europe, from the first introduction of pipe drainage (before 1850), to about 1960-1970 (Cavelaars et al., 1994).
- ✓ Clay tiles were made from clay, shale, fireclay or mixture thereof and burnt (IS, 1983).
- ✓ These clay tiles had common diameters of 0.05 to 0.15 m, and came in lengths of 0.30 to 0.33 m




Fig: Clay Drainage Pipes




Criteria for testing the quality of clay pipes are:

- shape (they should be straight, with straight-cut ends),
- absence of fissures and cracks (which can be judged by the sound when the pipe is hit),
- o mechanical strength (breaking strength)
- o should be uniformly burnt and
- should be free from minerals and chemicals that are known to cause slaking or disintegration of tiles (IS, 1983).



Concrete Pipes


- Concrete pipes were used as field drains like clay tiles in various countries, until they virtually became obsolete with the introduction of plastic pipes
- In larger diameters, concrete pipes are still commonly used as collectors.
- There is practically no limit to their diameter, although for large diameters (i.e., >0.4 m), the concrete must be reinforced.
- Pipe ends are either straight, have a collar, or a spigotand-groove.
- Water entry is almost exclusively through the joints between pipe sections. For larger diameters, some manufacturers supply rubber sealing rings.



• Disadvantages of concrete pipes are their susceptibility to acidity and sulphate, which may be present in the soil.




Fig. Reinforced concrete drain pipes



Plastic Pipes

- The introduction of plastic pipes for drainage started around 1960.
- Initially, straight-walled smooth pipes were used and later around 1970, corrugated pipes (Fig. 9.2b) were introduced
- Advantages of plastic over clay or concrete are
 - o much lower weight per meter of pipe, and
 - o greater length of pipe (at least several meters).
- Disadvantage of plastic pipes is the environmental pollution caused by the raw material (resin).



- The three predominant materials for plastic pipes are
 - o polyvinyl chloride (PVC),
 - o high-density polyethylene (HDPE) and,
 - o polypropylene (PP).






Fig. Plastic drain pipes: (a) Smooth pipe; (b) Corrugated pipe.



Drain Envelopes

- When a subsurface drain is installed, soil particles or aggregates may be carried into the pipe through the perforations in the pipe wall due to the drag force of the water.
- Drain envelopes are the porous material used to protect the drain pipe from soil particle entry.
- Qualitative guidelines for designing drain envelopes mainly consider soil texture




Functions of Drain Envelopes

Filter function: to prevent or restrict soil particles from entering the pipe where they may settle and eventually clog the pipe;


Hydraulic function: to constitute a medium of good permeability around the pipe and thus reduce entrance resistance;

Bedding function: to provide-all-round support to the pipe in order to prevent damage due to the soil load. Note that large diameter plastic pipes are embedded in gravel especially for this purpose.



Envelope Materials

- ➤ Organic material- mostly fibrous, and includes peat, coconut fiber and various organic waste products like straw, chaff, heather, and sawdust.
- ➤ Mineral materials- gravel, slag of various kinds (industrial waste products), or fired clay granules.
- > Synthetic materials- polystyrene, nylon, acryl, and polypropylene.
- > Mineral fibers- glass fiber, glass wool, and rock wool.






Fig. Drain-envelope materials: (a) Coconut fiber; (b) Polypropylene.




Fig. Corrugated perforated PVC pipe

