





#### **Photocalorimetry: Validation Methods**

#### Andy Morris, Medway Sciences, University of Greenwich at Medway



# **Outline of Talk**

- Background to Photocalorimetry Project
- Instrument Design
- Validation Techniques & Actinometry
  - 2-NB
  - Ferrioxalate
  - Spectroradiometry
- Conclusions & Future Work
- Applications to solids



# **Photocalorimetry**

 A new area of interest - small amount of previous work (virtually nothing written about the solid state)

Many benefits:

 Rapid analysis - conventional storage testing takes many weeks, calorimetric technique can be done in hours

- Conventional testing is costly
- Sensitive analysis heat changes in the µW range detected
- Apparatus enables testing in both the solid and solution phases
- Can apply data to calorimetric equations for analysis
- Simple experimental setup...



# **Photocalorimetry** – apparatus





# **Photocalorimetry - Validation**

- Apparatus has been developed previously (Lehto et al.)
- First need to establish a validation method (*cf* triacetin reaction)
  - *i.e.* a system that can be used as a chemical actinometer
- Systems well-known in the literature
  - Solids: nifedipine
  - Solutions: ferrioxalate (conventional)

2-nitrobenzaldehyde (2-NB) (novel)

- Initial work in solution phase simpler systems, in principle
- More complex validation systems will come later (e.g. solids)



# **Photocalorimetry - Actinometry**

#### **Chemical Actinometers**

- A solution containing a chemical compound that undergoes a specific chemical reaction as a result of photon absorption
- Reaction Rate related to the rate at which photons are absorbed by the actinometer
- The actinometer solution is illuminated under the same conditions as the drug samples
- The reaction is followed as a function of illumination time

 $\rightarrow$  Photon Flux  $\rightarrow$  Photon Flux (Wm<sup>-2</sup>)

Allows results to be compared quantitatively if a value of H is known....



### **Photocalorimetry - Actinometry**

**3 Systems to Compare:** 

- 2-nitrobenzaldehyde novel
- Potassium Ferrioxalate established
- Spectroradiometry (absolute method)



# **Photocalorimetric** Calculations



 $I_{o}$  is the irradiance

 $k_0$  is the reaction rate constant

 $\boldsymbol{\phi}$  is the quantum yield

and

 $F_o = I_o V.N_A E_{\lambda} / A$ 

 $F_{o}$  is the photon flux V is the volume of solution

N<sub>A</sub> is Avogadro's Number

 $E_{\lambda}$  is the average light wavelength

A is the area of exposed solution



# **Photocalorimetric** Calculations



 $I_{o}$  is the irradiance

 $k_0$  is the reaction rate constant

 $\boldsymbol{\phi}$  is the quantum yield

and

 $F_o = I_o V.N_A E_{\lambda} / A$ 

#### $\mathbf{F}_{\mathrm{o}}$ is the photon flux

V is the volume of solution

N<sub>A</sub> is Avogadro's Number

 $E_{\lambda}$  is the average light wavelength

A is the area of exposed solution



### **Photocalorimetry - Calculations**

For a zero order reaction:

$$\Phi = k_o HV$$

 $\rightarrow$  a value of **k**<sub>o</sub> which can be applied to  $I_o = k_o/\phi$ 

- $\rightarrow$  a value of I<sub>o</sub> which can be applied to F<sub>o</sub> = I<sub>o</sub>.V.N<sub>A</sub>.E<sub> $\lambda$ </sub> / A
- $\rightarrow$  a quantitative value (in W / m<sup>2</sup>) for the photon flux of a light source

### **Photocalorimetry - Calculations**

For a zero order reaction:

$$D = k_o HV$$
 (D) (from the TAM)

 $\rightarrow$  a value of **k**<sub>o</sub> which can be applied to **l**<sub>o</sub> = k<sub>o</sub>/ $\phi$ 

- $\rightarrow$  a value of **I**<sub>o</sub> which can be applied to F<sub>o</sub> = I<sub>o</sub>.V.N<sub>A</sub>.E<sub> $\lambda$ </sub> / A
- ightarrow a quantitative value for the photon flux of a light source



Photochemical rearrangement of 2-nitrobenzaldehyde to 2nitrosobenzoic acid and dissociation of the product yielding H<sup>+</sup>



• The quantum yield is 0.5

Reaction is zero-order (ie linear loss of 2-NB as a function of irradiation time)

GlaxoSmithKline

Enthaloy H can be easily determined (202.4 k.lmol<sup>-1</sup>)



 Take measurement after same time has elapsed after light on for each experiment

 Experimental output should be a flat line at this point

Subtract blank from signal to get a value for *phi*







Experiment Number	Ф (M <b>W</b> )	H (Jmol <sup>-1</sup> )	V (dm³)	k (moldm <sup>-3</sup> s <sup>-1</sup> )
1	-	-	-	
2	110	202464	0.004	1.36 x 10 <sup>-7</sup>
3	116	202464	0.004	1.46 x 10 <sup>-7</sup>
4	114	202464	0.004	1.41 x 10 <sup>-7</sup>
5	114	202464	0.004	1.41 x 10 <sup>-7</sup>

*I*<sub>0</sub>:

1.1 *Wm*<sup>-2</sup> 4.2 x 10<sup>-7</sup> einstein dm<sup>-3</sup> s<sup>-1</sup>



### **Photocalorimetry - Studies with Ferrioxalate**

Traditional chemical actinometer

•  $2[Fe(C_2O_4)_3]^3 \rightarrow 2Fe(C_2O_4)^2 + 2CO_2$ 

Many advantages over 2-NB:

- 1. Sensitivity
- 2. Wavelength Coverage
- 3. Photolyte stability and Photolysis Products
- 4. Simplicity of operation
- 5. Has a known enthalpy

Highly regarded and widely used

Adopt the same principles for calculation as before....



### **Photocalorimetry - Studies with Ferrioxalate**





Experiment Number	Ф (M <b>W</b> )	H (Jmol <sup>-1</sup> )	V (dm³)	k (moldm⁻³s⁻¹)
1	315	52600	0.004	1.44 x 10 <sup>-6</sup>
2	408	52600	0.004	1.36 x 10 <sup>-6</sup>
3	294	52600	0.004	1.40 x 10⁻ <sup>6</sup>
4	286	52600	0.004	1.94 x 10 <sup>-6</sup>
5	303	52600	0.004	1.50 x 10⁻ <sup>6</sup>

*I*<sub>0</sub>:

4.8 *Wm*-2

1.9 x 10<sup>-6</sup> einstein dm<sup>-3</sup> s<sup>-1</sup>



# **Photocalorimetry - Spectroradiometry**

Spectroradiometers can record irradiance data in real-time

 Available software allows measurement to be carried out directly in Wm<sup>-2</sup>

Can connect to the third trifurcated cable on the apparatus

No chemical method required





# **Photocalorimetry - Spectroradiometry**





# **Photocalorimetry - Spectroradiometry**



Lamp Output ( <i>W</i> )	Photon Flux <i>(W/m²)</i>
240	2.4
270	4.0
300	7.0



# **Comparing actinometric methods**

Method	Mean Photon Flux, <i>F<sub>o</sub></i> <i>(W/m²)</i>
2-NB (240W)	1.100
Spectroradiometry (240W)	2.365
Potassium ferrioxalate (300W)	4.800
Spectroradiometry (300W)	6.954

Book value of  $F_o = 1.3 W/m^2$ 



# **Comparing actinometric methods**

The values obtained by the two chemical methods compare more favorably than the spectroradiometric method

2-NB is more favorable than potassium ferrioxalate

- Steadier calorimetric output (i.e. flat line produced)
- Easier to prepare and has a longer shelf life

 Interesting that *potassium ferrioxalate* is the IUPAC recommended method

 Investigations into why spectroradiometry is inaccurate need to be carried out



# **3. Application to Solids**

Nifedipine under white light

- No quantitative data recorded for solid state photocalorimetric experiments
- Use *nifedipine* since it is well-known in the literature
- Apparent first-order kinetics should be easy to spot experimentally
- Acts as a good "test" reaction before moving onto studies involving individual wavelengths of light
- Apply the same rules of analysis as used for 2-NB and Potassium Ferrioxalate
- Talc is used as the reference material











Experiment No	Literature Rate Constant (s <sup>-1</sup> )	Experimental Rate Constant (s <sup>-1</sup> )
1	7.47 x 10⁻⁵	5.79 x 10⁻⁵
2	7.28 x 10 <sup>-5</sup>	9.15 x 10⁻⁵
3	7.19 x 10 <sup>-5</sup>	9.14 x 10 <sup>-5</sup>
4	7.27 x 10⁻⁵	4.50 x 10⁻⁵

% error = 2.2 for the first 4000 seconds of reaction

Important since nifedipine photodegradation is complex



# **3. Application to Solids**

Nifedipine under monochromatic light

- Limited data recorded for solid state photocalorimetric experiments
- Compare with work done by Lehto et al.
  - Reported nifedipine sensitivity at 510nm to 280nm with a maximum at 390nm
- Use nifedipine since it is well-known in the literature
- Wavelength range from 520nm to 300nm
- Scan rate of 10nm / hour
- Use talc as reference material















# **Conclusions and Future Work**

Photocalorimeter designed and built successfully

• 2 main options exist for actinometer selection in solution phase

2-NB v Potassium Ferrioxalate

 2-NB is more stable; easier to prepare and has a simple calorimetric output

 Nifedipine is a suitable validation material - first quantitative measurements presented here

Complexity is a problem after 4000 s - Use of Chemometrics

Investigations into effect of wavelength on nifedipine were successful.
Further work will investigate the effect of moisture, temperature etc on calorimetric output at different wavelengths



### **Acknowledgements**

- Professor Anthony Beezer
- Professor Joseph Connor
- David Clapham, GSK
- Medway Sciences colleagues





