# SUSPENSIONS

### Definition

Suspension may be defined as preparation containing finely divided drug particles distributed somewhat uniformly throughout a vehicle in which the drug exhibits a minimum degree of solubility.  Suspensions are the biphasic liquid dosage form of medicaments in which the finely divided solid particles.

The range of solid particles in suspension from
 0.5 to 5.0 micron.

Suspensions are used in orally, parentally and also externally.

They are chemically stable than solution.

### According to the particle size of the dispersed phase, suspensions are divided into:

#### Coarse suspension: Which is a dispersion of particles with a mean diameter greater than1 µm.

#### Colloidal suspension:

Which is a dispersion of particles with a mean diameter less than 1 µm

### **Reasons for Suspension**

- If patient has a difficulty of swallowing solid dosage forms (a need for oral liquid dosage form).
- Faster rate of dissolution and oral absorption than solid dosage forms, yet slower than solutions.
- Orugs that have very low solubility are usefully formulated as suspensions.
- Drugs that have an unpleasant taste in their soluble forms (e.g., chloramphenicol (soluble) vs. chloramphenicol palmitate (insoluble )).

## **Properties of good Suspension**

 Suspension should settle slowly & should be readily redispersed upon shaking of the container.

#### The suspension is pourable.

 Particles in suspension are small and relatively uniform in size. so that the product is free from a gritty texture.

### Classification

Based on General class  $\rightarrow$  Oral Suspension e.g. Paracetamol Suspension → Externally Applied suspension e.g. Calamine lotion → Parenteral Suspension e.g. Insulin zinc suspension

#### Based on proportion of Solid Particles

Dilute Suspension (2 to 10% w/v solid)
e.g. cortisone acetate, predinsolone acetate

Concentrated Suspension (50% w/v solid) e.g. Zinc oxide suspension Based on electrokinetic nature of Solid particle

Flocculated Suspension

Deflocculated Suspension

# Based on Size of Particle Coarse Suspension

Suspensions having particle sizes of greater than about 1 micron in diameter are called as coarse suspensions.

### Colloidal Suspension

Suspensions having particle sizes of suspended solid less than about 1 micron in size are called as colloidal suspensions.