MODEL QUESTIONS

- 1. The cheapest source of energy is -----
- 2. Power available from a farm labour is -----hp
- 3. Solar energy is a ----- energy
- 4. State the merits and demerits of different sources of energy used in farm.
- 5. List the advantages of diesel engine.
- 6. Mention the basic components of an IC Engine
- 7. List the types of engine classification
- 8. Mention the four strokes of IC engine with a neat sketch and explain their role
- 9. Differentiate petrol and diesel engine
- 10. Mention merits and demerits of different farm power sources.
- 11. Differentiate IHP and BHP
- 12. Write about the working of four stroke cycle engine
- 13. Write about the working of two stroke cycle engine
- 14. Compare four stroke cycle engine with two stroke cycle engine
- 15. Compare spark ignition engine with compression ignition engine.
- 16. A three bottom 40 cm M.B plough is working at a speed of 4 km/h . Calculate the effective field capacity if the field efficiency is 80 percent.
- 17. A four bottom 30 cm M.B plough is working at a speed of 4.5 km/h. Calculate the actual field capacity if the field efficiency is 70 percent.
- 18. List the animal drawn primary tillage implements .
- 19. Define Theoretical field capacity.
- 20. Define Effective field capacity.
- 21. Define field efficiency
- 22. List the objectives of Tillage
- 23. Differentiate casting and gathering.
- 24. With neat diagram mention the furrow terminologies
- 25. What do you mean by soil pulverization?
- 26. Define conservation tillage
- 27. Define mulch tillage
- 28. Preparation of soil in such a way that crop residues and other mulching materials are left on the surface is called
 - a. minimum tillage b. strip tillage c. rotary tillage d. mulch tillage
- 29. The open trench left in between two adjacent strips of land after finishing the ploughing is called
 - a. dead furrow b. back furrow c. head land d. crown
- 30. Theoretical field capacity of a double action disc harrow is 1.0 ha/h. Field efficiency is 80 %. What is the actual field capacity?
 - a. 1.0 ha/h b. 1.5 ha/h c. 0.5 ha/h d. 0.8 ha/h

- 31. Soil tillage consists of breaking compact surface of soil to certain depth and loosening the soil True / False
- 32. Whenever a plough works round a strip of un ploughed land it is called casting True / False
- 33. When a plough works round a strip of ploughed land it is called as Casting True / False
- 34. List the types of mould boards and mention their advantages.
- 35. Mention the advantages of mould board plough over country plough.
- 36. Define horizontal suction.
- 37. Define draft.
- 38. Define side draft
- 39. List types of share and their applicability
- 40. Differentiate turn wrest plough and reversible plough.
- 41. Mention the components of mould board plough with a neat sketch and
- 42. explain their importance
- 43. What do you mean by unit draft.
- 44. Explain different types of disc ploughs
- 45. List the advantages of disc plough over mould board plough
- 46. Mention the conditions where in you will use disc plough
- 47. Define disc angle.
- 48. Define tilt angle.
- 49. Define concavity
- 50. List the types of disc plough
- 51. Differentiate disc and tilt angles.
- 52. Mention the components of disc plough with a neat sketch and explain their Importance.
- 53. Explain about construction, use and advantage of rotary tiller
- 54. Explain about construction , use and advantage of chisel plough
- 55. Explain about construction, use and advantage of subsoiler
- 56. List the advantages of chisel plough
- 57. List the advantages of chisel plough
- 58. List the advantages of chisel plough
- 59. Mention the conditions where in you will use sob soil plough
- 60. List the types of rotary blades
- 61. Mention the components of tractor drawn rotary tiller with a neat sketch and explain their importance
- 62. Land side helps to resist side pressure exerted by furrow slice on the mould board plough True / False
- 63. 12 In mould board plough land side helps to resist side pressure exerted by furrow slice True / False
- 64. Which one of the following is an accessory to mould board plough?

a. Share b. mould board c. frog d. jointer

- 65. Horizontal suction allowed in mould board plough is
 - a. 5 mm b. 10-12 mm c. 15 mm d. 20 mm
- 66. Horizontal component of pull is called
 - a. Pull b. draft c. unit draft d. None
- 67. Total draft of a 4 bottom mould board plough is 1600 kg. What is the draft of a single bottom
 - a. 1600 kg b. 1200 kg c. 800 kg d. 400 kg
- 68. In disc ploughs tilt angel varies between
 - a. 15-25° b. 25-35° c. 35-45° d. 45-50°
- 69. Width of operation of a 2×30 cm disc plough is
 - a. 30 cm b. 60 cm c. 90cm d. 120 cm
- 70. Disc angle in a standard disc plough varies from

a. 25-35 ° b. 40-45 ° c. 45-55 ° d. 55-65 °

- 71. In stony and rocky fields mould board plough works better than disc plough true/false
- 72. A disc plough can be forced to penetrate into the soil which is too hard and dry for working with a mouldboard plough. true/false
- 73. Disc plough leaves the soil in rough and more cloddy condition than that of mouldboard plough. true/false
- 74. Differentiate rotary tiller and chisel plough.
- 75. A levelling board is attached to the rear side of the unit for levelling the tilled soil.

True / False

- 76. Deep tillage shatters compacted sub soil layers and aids in better infiltration and storage of rainwater in the crop root zone. True / False
- 77. Chisel ploughing reduces the bulk density of soil True / False
- 78. Rotary tiller combines both primary and secondary tillage Operations True / False
- 79. Rotavator combines primary and secondary tillage operationsa. True / False
- 80. Compacted areas prevent the natural drainage of the soil and also inhibit the passage of air and nutrients through the soil structure .True / False
- 81. A country plough cuts a trapezoidal furrow having 8 cm top width and 3 cm bottom width. The depth of furrow is 8 cm. assume average soil resistance to be 0.6 kg/cm2/. Calculate the pull exerted by the bullocks if the chain forms an angle of 30° with horizontal
- 82. Two bullocks weighing 400 kg each are pulling an implement with a speed of 3 km/h. The depth of furrow is 8 cm. Assume soil resistance to be 0.6 kg/cm2.
- 83. Calculate the pull exerted by bullocks if the chain forms an angle of 30° with the horizontal.

- 84. A three bottom 40 cm mouldboard plough has a working depth of 15 cm, draft
 - is 1200 kg, fuel efficiency is 80 5, and working speed is 4 km/h. calculate
 - a) Unit draft
 - b) Power required
 - c) actual field capacity
- 85. State the requirements of perfect sowing
- 86. Compare broadcasting with drill sowing
- 87. Compare check row planting with transplanting
- 88. What are the functions of a seed drill?
- 89. State the advantages of using seed drills.
- 90. List the types of seed metering mechanisms
- 91. Mention the components of a seed drill with a neat sketch and explain their importance.
- 92. A three bottom 40 cm M.B plough is working at a speed of 4 km/h . Calculate the effective field capacity if the field efficiency is 80 percent.
- 93. A four bottom 30 cm M.B plough is working at a speed of 4.5 km/h. Calculate the actual field capacity if the field efficiency is 70 percent.
- 94. List the animal drawn primary tillage implements .
- 95. Define Theoretical field capacity.
- 96. Define Effective field capacity.
- 97. Define field efficiency
- 98. List the objectives of Tillage
- 99. Differentiate casting and gathering.
- 100. With neat diagram mention the furrow terminologies
- 101. What do you mean by soil pulverization?
- 102. Define conservation tillage
- 103. Define mulch tillage
- 104. List the types of mould boards and mention their advantages.
- 105. Mention the advantages of mould board plough over country plough.
- 106. Define horizontal suction.
- 107. Define draft.
- 108. Define side draft
- 109. List types of share and their applicability
- 110. Differentiate turn wrest plough and reversible plough.
- 111. Mention the components of mould board plough with a neat sketch and
- 112. explain their importance
- 113. What do you mean by unit draft.
- 114. Explain different types of disc ploughs
- 115. List the advantages of disc plough over mould board plough
- 116. Mention the conditions where in you will use disc plough
- 117. Define disc angle.

- 118. Define tilt angle.
- 119. Define concavity
- 120. List the types of disc plough
- 121. Differentiate disc and tilt angles.
- 122. Mention the components of disc plough with a neat sketch and explain their Importance.
- 123. Explain about construction, use and advantage of rotary tiller
- 124. Explain about construction , use and advantage of chisel plough
- 125. Explain about construction , use and advantage of subsoiler
- 126. List the advantages of chisel plough
- 127. Mention the conditions where in you will use sob soil plough
- 128. List the types of rotary blades.
- 129. A country plough cuts a trapezoidal furrow having 8 cm top width and 3 cm bottom width. The depth of furrow is 8 cm. assume average soil resistance to be 0.6 kg/cm2/. Calculate the pull exerted by the bullocks if the chain forms an angle of 30° with horizontal
- 130. Two bullocks weighing 400 kg each are pulling an implement with a speed of 3 km/h. The depth of furrow is 8 cm.. Assume soil resistance to be 0.6 kg/cm2.
- 131. Calculate the pull exerted by bullocks if the chain forms an angle of 30° with the horizontal
- 132. State the requirements of perfect sowing
- 133. Compare broadcasting with drill sowing
- 134. Compare check row planting with transplanting
- 135. What are the functions of a seed drill?
- 136. State the advantages of using seed drills.
- 137. List the types of seed metering mechanisms
- 138. Mention the components of a seed drill with a neat sketch and explain their
- 139. importance
- 140. Differentiate seed drill and seed planter.
- 141. Mention the different types of furrow openers and their uses.
- 142. What is calibration of seed drill
- 143. The following observations are recorded while calibrating the seed drill.
- Number of furrows = 10
- Spacing between the furrows = 20 cm
- Diameter of the ground wheel = 1.5 m
- Speed of rotation of ground wheel = 500
- Weight of seed collected = 20 kg.

- 144. Calculate the seed rate.
- 145. Differentiate seed drill and seed planter.
- 146. Mention the different types of furrow openers and their uses.
- 147. What is calibration of seed drill of the following observations are recorded while calibrating the seed drill.
 - Number of furrows = 10
 - Spacing between the furrows = 20 cm
 - Diameter of the ground wheel = 1.5 m
 - Speed of rotation of ground wheel = 500
 - Weight of seed collected = 20 kg.

Calculate the seed rate.

- 148. Seed metering mechanism used in cultivator seed drill is
 - a. Fluted rollers b. Cup feed mechanism
 - c. Brush feed mechanism d. Auger feed mechanism
- 149. In most of the seed drills drive for seed metering mechanism is taken from
 - a. PTO shaft b. Engine c. Hydraulic system d. Ground wheel
- 150. A five row 20 cm manual transplanter is pulled at a speed of 1.0 km/h. How much area will be planted in one day of 8 hours if field efficiency is 80 %
 - a. 0. 50 ha b. 0.60 ha c. 0.64 ha d. 0.70 ha
- 151. Knock out mechanism is a device which knocks out the seeds from the cells Or picker heads of the mechanism. True/False
- 152. Dropping of seeds in furrow lines in a continuous flow and covering them with soil is called as
 - a. Hill dropping b. check row planting c. drilling d. Broadcasting
- 153. The mechanism used to meter fertilizer in seed cum fertilizer drill is
 - a. Fluted rollers b. Cup feed mechanism
 - b. edge drop rotor d. Auger feed mechanism
- 154. In most of the seed drills drive for seed metering mechanism is taken from
 - a. PTO shaft b. Engine c. Hydraulic system d. Ground wheel
- 155. In seed metering mechanisms used in planters the device which knocks out the seeds from the cells is called
 - a. Fluted rollers b. Cut-off mechanism
 - b. Knock-out mechanism d. Drive wheel
- 156. Knock out mechanism in the seed metering system of a planter brushes out excess seeds from the rotor true/false
- 157. Calculate the cost of seeding one hectare of land with bullock drawn seed drill of size 5x22 cm. the speed of bullocks is 3 km/h. Hire charges of bullocks is Rs. 150/day. Hire charges of seed drill is Rs. 100/day. Of 8 hours.

- 158. A flutted feed seed drill has 8 furrow openers of single disc type. The furrow openers are spaced 25 cm apart and the main drive wheel has a diameter of 120 cm. How many turns of main drive wheel would occur when the seed drill has covered 1.0 ha of land.
- 159. Define inter cultivation in agriculture. Mention some tools and implement used in inter cultivation
- 160. Explain about blade harrow
- 161. Explain about junior hoe
- 162. Explain about engine operated weeder
- 163. Mention the conditions where in you will use junior hoe
- 164. Name two implements used for conserving soil moisture in dry lands
- 165. List the types of weeders
- 166. Mention a neat sketch and explain the components of cono weeder their
- 167. Differentiate star and peg type weeders.
- 168. state the advantages of long handled weeder
- 169. Junior hoe is primarily used for
 - a. breaking clods b. seed bed preparation
 - b. weeding d. none
- 170. The main advantage of using long handle weeders is
 - a. Less drudgery to operator b. Less area of coverage
 - c. Cheaper cost of weeder d. Traditional tool
- 171. State the functions of sprayer
- 172. Furnish the classifications of sprayers
- 173. List the advantages of sprayers
- 174. Mention the components and operation of hand sprayer
- 175. Mention the components and operation of power sprayer
- 176. Explain about different types of nozzles
- 177. Mention the components of rocker sprayer with a neat sketch and explain their Importance When several nozzles are fitted in a pipe it is called as Spray gun

True / False

- 178. In battery operated sprayers the component which breaks the chemical Solution in to fine particles is called
 - a. spray gun b. nozzle c. spinning disc d. none
- 179. The chemical solution requirement of a sprayer is 80 lit/ha. The sprayer can be classified under
 - a. high volume sprayer b. low volume sprayer
 - b. ultra low volume sprayer d. none
- 180. Sprayers can be used to apply
 - a. herbicide b. fungicide c. insecticide d. all the three chemicals
- 181. Which of the following components of a sprayer is very important?

- a. Spray gun b. Cut-off lever c. Nozzle d. Strainer
- 182. Cut off valve is fitted between pump and nozzle of a sprayer and is used to control the flow of chemical solution to the nozzle True / False
- 183. Explain the components and working of motorized knap sack Sprayers
- 184. State the advantages of knapsack motorized mist blower compared to hand sprayer .Explain the parts and working of battery operated sprayer
- 185. How will you convert a mist blower into a duster?
- 186. Differentiate compression sprayer and battery operated sprayer.
- 187. Calculate the water power which is required to discharge liquid @ 30 lit/min at 30 kg/cm2 pressure
- 188. In a pump, suction volume is 25 lit/min and pump efficiency is 85%. Calculate the shaft power at a pressure of 35 kg/cm2
- 189. List the types of mowers .
- 190. Mention the basic components a mower
- 191. Explain with a neat sketch the working of a cutter bar .
- 192. List the types of harvesting methods .
- 193. List the advantages of harvesters .
- 194. Mention the components of paddy harvester with a neat sketch and explain their importance .
- 195. Define registration and alignment
- 196. Differentiate plain and serrated sickle.
- 197. The machine which cuts the crops and ties them into a neat and uniform sheaves is known as a reaper binder b. mower c. harvester d. none
- 198. A mower knife is said to be in proper *registration* when the knife section stops in the centre of its guard on every stroke True/False
- 199. The material as left by the harvesting machine. Is called swath True/False
- 200. The machine used to cut herbage crops is called a. reaper b. windrower c. mower d. harvester
- 201. Swinging knives are used in a. cylindrical mower b. horizontal rotary mower c. flail mower d. reciprocating mower.
- 202. Mention the components of combine harvester with a neat sketch and explain their importance
- 203. Calculate total time required to harvest 2.5 ha of grass by means of a 2m mower being operated at 4 Kim/h. Take field efficiency as 80%
- 204. How many hectares of land can be cut by a combine with 4 m cutter bar, when it is operating at 4km/h