

## Chemistry SUB. CODE- BSCC2402

For B.Sc. 4<sup>th</sup> Semester

(Terpenes) Module-VII

Terpenoids: Classification and Isoprene rule

By

Dr. Rosy Mallik Assistant Professor, CENTURION UNIVERSITY OF TECHNOLOGY AND MANAGEMENT, ODISHA



VERSITY

Empowering Communities...

Shaping Lives...

Terpenes, or terpenoids, are a large class of plant secondary products with a major role in defense against plant-feeding insects and herbivores.

However, not all terpenoids act as secondary products. Many have important roles in primary processes, such as photosynthesis, stability of cell membranes, signaling, and as source compounds for several plant hormones.



Shaping Lives... Empowering Communities...

## **Terpenoids: Isoprene Unit**

Terpenes are characterized by their basic structural element, the five-carbon isoprene unit:





Terpenes may be considered to be made up of isoprene (isopentane) units, an empirical feature known as the **isoprene rule**. Because of this, terpenes usually have 5*n* carbon atoms (*n* is an integer), and are subdivided as follows:

Classification	<b>Isoprene Units</b>	<b>Carbon Atoms</b>
monoterpenes	2	<b>C</b> <sub>10</sub>
sesquiterpenes	3	C <sub>15</sub>
diterpenes	4	<b>C</b> <sub>20</sub>
sesterterpenes	5	C <sub>25</sub>
triterpenes	6	C <sub>30</sub>





#### **Monoterpenes**





H<sub>3</sub>C humulene H<sub>3</sub>C H<sub>3</sub>C H<sub>3</sub>C H<sub>2</sub>C

H<sub>3</sub>C

caryophyllene

iii) Bicyclic sesquiterpenoids.



Cadinene



# enturion 1-1

UNIVERSITY Shaping Lives... Empowering Communities...

#### 1-1 Linkage

The head of one isoprene molecule could link with the head of another isoprene molecule.



*Figure 1: This link is called a head-to-head or 1-1 link.* 

#### 1-4 Linkage

The head of one isoprene molecule could link with the tail of another isoprene molecule.



Figure 2: This link is called a head-to-tail or 1-4 link.



#### 4-4 Linkage

The tail of one isoprene molecule could link with the tail of another isoprene molecule.



Figure 3: This link is called a tail-to-tail or 4-4 link.

Cyclic terpenes also contain links that are neither 1-1, 1-4, nor 4-4, which are called *crosslinks*.



### The isoprene rule

This **rule** proposed by Ingold in 1925. According to this **rule** "the **isoprene** units in terpenoids are joined by head to tail linkage or 1,4- linkage (The branched end of **isoprene** unit was considered as head and other end as the tail)



The isoprene rule states that, in most naturally occurring terpenes, there are no 1-1 or 4-4 links.



β-Carotene <sup>\*</sup>



## References

- 1. K.D Sharma and Y. R. Sharma, Kalyani Publishers, Unit-III page-319;
- 2. University Chemistry, Vol-IV, Dr. U. N. Dash, Dr. K. K. Ojha, Himalaya Publishing house, Unit V, page-408