## FILLING AND PACKAGING

#### Main factors causing deterioration during storage

- Mechanical forces (impact, vibration, compression or abrasion)
- Climatic influences causing physical/chemical changes (UV light, moisture vapour, oxygen, temp. changes, etc.)
- Contamination by microorganisms, insects, soil

Pilferage, tampering, adulteration

30 May 2020

Therefore, there is a need for packaging.....

#### Packaging helps to:

## Protect the food to a pre-determined degree for the extended shelf life

#### Advertise foods at the point of sale





## Why use packaging?

- Extend shelf life
- Safe and efficient transportation
- Reduce product waste due to contamination
- Provide customers with information (sometimes a legal requirement)
- Entice the customer to purchase



**Contain: Protect: Communicate: Market** 

#### Thus, the basic requirements of packaging material are

#### The package:

- should not contaminate product.
- should allow efficient and economical operation on production line.
- should be resistant to breakage.
- should be cost effective.
- should be aesthetically pleasing.
- should have a functional size and shape.
- should retain the food in convenient form.
- should be suitable for easy disposal or reuse.







30 May 2020

The main factors considered for package selection are light, heat, moisture and gases, microorganisms and insects.

#### Two main groups of packaging materials

Shipping containers, which contain and protect the contents during transportation and distribution (e.g. wooden, metal or fibre-board cases, crates, barrels, drums and sacks)

Retail containers (or consumer units) which protect and advertise the food in convenient quantities for retail sale and home storage (e.g. metal cans, glass bottles, jars, paperboard cartons, flexible plastic bags, sachets and overwraps)



Product	Type of packaging
Milk and milk products	<ul> <li>PE pouches</li> <li>LDPE and PVC bottles</li> <li>Bottles made from LDPE can be used at temperature of up to 120°C and bottles made from polycarbonate up to 150°C.</li> <li>Glass bottles</li> <li>Board laminated with aluminum foil and coated with PE on the inside (for aseptic processing)</li> </ul>
Cultured milk products	<ul> <li>Glass bottles</li> <li>Cartons</li> <li>Unplasticised PVC or PS (coloured to give light protection)</li> </ul>

Product	Type of packaging
Unripened soft cheese	<ul> <li>Deep drawn containers made of hard PVC or impact resistant PS with welded or sealed closures of the same materials or sealed with coated aluminium foil.</li> <li>Grease proof paper or aluminium foil laminated to paper is suitable for soft cheeses which are expected to develop slimy surfaces.</li> <li>Aluminum foil prevents cheese from drying.</li> <li>Laminated films of polyester, aluminum and polythene are also used.</li> </ul>

Product	Type of packaging
Cheese made from cultured milk	<ul> <li>Weather proof cellulose</li> <li>Polypropylene films</li> </ul>
Processed cheese	Hot filled into aluminum cups which are coated with a protective lacquer.  It may also be wrapped in heat sealed lacquered aluminum foil.

Product	Type of packaging
Butter	• Laminated al. foil (9 µm) and genuine parchment (50 g/cm²).
	<ul> <li>Paper improved by plastics (PE, PVDC) and waxes (paraffin 10 g/m²) is also used, but does not give sufficient light protection.</li> </ul>
	Laminate of aluminum and polythene

Product	Type of packaging
Evaporated milk	Cans made of electrolytically tinned mild steel which are closed either by soldering or by a seamed-on-lid.
	The thickness of the tinned steel is between 0.15 and 0.25 mm, depending on the size of the can.
	The tin layer deposited electrolytically can weigh 15 g/m $^2$ and this represents a layer thickness of between 1 and 2 $\mu$ m.
	Glass bottles with crown cork closures are also used.

Product	Type of packaging
Dried milk	<ul> <li>Cartons lined with aluminium foil on the inside and outside</li> </ul>
	Aluminum PE foil bags
	Plastic coated paper bags
	<ul> <li>Tin can with or without an inner bag</li> </ul>
	<ul> <li>For long storage times, a membrane of aluminum foil is used in addition to the snap-on lid to provide an additional seal.</li> </ul>

Product	Type of packaging
Dried milk	Fat containing milk powders are often packed in an atmosphere of inert gases (e.g. 80% N <sub>2</sub> and 20% CO <sub>2</sub> ). The residual oxygen content should be less than 3%.
Bulk packing	Sacks made of kraft paper, laminated with various materials such as parchment, polythene. aluminum, cellulose. bitumen, wax or paraffin.

Product	Type of packaging
Ice-cream	Most bulk ice cream is packaged in a linerless bleached sulphite board carton, coated with wax or polyethylene-wax blends for protection from moisture and oxygen.
	Plastic containers made of PE are also used.

# Thank You