# Packaging of Fat rich dairy products

Soma Maji

## Introduction

- Cream, Butter and ghee contains a high percentage of fat
- They are very susceptible to spoilage.
- So packaging material used should be selected in such a way that it possesses

Good grease resistance

Barrier properties against oxygen and moisture.





Cream is the concentrated form of milk fat

### **Characteristics of cream**

- Cream contains a high % of milk fat and is very susceptible to spoilage.
- Moisture loss can occur if not properly packed .
- Prone to oxidative and lipolytic rancidity.
- Can absorb flavours

## Characteristics of packaging material required for cream

- 1. Prevent light passage
- 2. Prevent water loss
- 3. Prevent oxygen transmission
- 4. Shall offer resistance for microbial contamination



- \*In early 20th century waxed paperboard cartons were used as containers for cream.
- \*Now a days creams is packed in similar packages used for milk
- \*Newer cream packaging materials are made up of linear polyethylene, polystyrene or polypropylene with a peelable lid or snap-on cover.
- \*Tin plate containers have also been used for larger sizes.
- \*Whipped cream and synthetic formulations are sold in aerosol cans and polyethylene tubes.



- \*Imitation cream made from soybeans and vegetable oils is often marketed in wax coated paper board cartons.
- \*PE extruded or wax coated paperboard tubs are used to pack single portion cream.
- \*Sterilized/UHT cream is packed in similar lines to that of UHT milk.









Butter consists primarily of about 80% milk fat, 15% moisture and in table butter up to 3% common salt.

Because of high moisture content butter is susceptible to mould growth and lypolytic rancidity

#### **Characteristics of butter**

- Due to high moisture content butter unlike solid fats is susceptible to mold growth.
- Flavour and odour are easily absorbed by butter from its environment.
- Deterioration of the butter may take place due to rancidity.
- Butter has tendency to lose Moisture.

## **Requirement of packaging**

- Non toxic, not harmful to consumer's health.
- It should be grease/moisture proof.
- Shall be barrier for Oxygen.
- Low metallic content as metals favour oxidation of fat.
- Shall not transmit light.



## **Packaging Material Used**

\*In India, butter is packed in bulk as well as in retail packages.

- \*For bulk packaging there is no standard method, and generally polyethylene bags/parchment paper along with corrugated boxes are used.
- \*Al-foil 0.09 mm thick, surface treated with lacquer for protecting against corrosion: Al foil/ parchment or glassine paper (40-42 gsm): PVC or cardboard with a parchment insert can be used.
- \*Indian Standard 2034 1961 specifications has been given for tin cans of 200 g and 400 g capacity that are to be used for package of butter.
- \*Though tinplate containers are the best for product protection, owing to their high cost very little quantity of butter is packed in the tin containers.

- \*Flexible packaging materials like vegetable parchment paper or grease proof paper, aluminium foil, and paper board cartons which together give similar protection to the product are more commonly used.
- \*Indian Standard 7161 1973 gives specifications for vegetable parchment paper or Grease Proof paper/ Aluminium foil laminate for wrapping butter.
- \*As vegetable parchment paper has good wet strength, generally paper of 45 gsm and above and aluminium foil above 0.009 mm thickness are used.
- \*As butter is highly susceptible to foreign odour, care must be exercised while choosing adhesive and printing inks used in the manufacture of the laminates.

\*There is also another IS: 8113-1976 standard for primary cartons for packaging of 100 g, 200 g and 250 g. butter slabs.

\*Cartons protect butter while handling after packaging in primary Wrapper, in the distribution system.

\*Since butter is stored in the refrigerator, cartons may be waxed on each side though it is not mandatory.

\*Paperboard can be extrusion coated with PP. Injection-moulded pots and tubs of PP can also be used for packaging of the butter.

\*High-impact polystyrene or HIPS is also used in multilayer sheet extrusion with a variety of other polymers, like PE, PP, PET, PVDC and EVOH. \*Large packs of 10, 20 and 50 kg butter are packed formerly in wooden barrels/boxes or parchment paper lined corrugated boxes.

\*For better handling, easier storage, more efficient use of storage space and economy Fibre board boxes are introduced which are lined with parchment paper.

\*Latest packaging material that are being used are Shallow, 1-2 mil thick Al-foil trays with heat sealable PVDC-cellophane or other suitable barrier material.

\*Aluminium PVDC/PS cups can also be used for butter.\*Butter chiplets are packed in lacquered Aluminium foil.





\*Grammage: 41-45

\*Bursting strength:  $1.8 \pm 0.2$  kg/cm2

\*Wet strength:  $0.8 \pm 0.2$  kg/cm2

\*Grease resistance: Should pass the turpentine oil test

\*Acidity: 0.02% as H2SO4

\*pH of H2O extract: not less than 5.0

\*Brightness: 79.





\*It is usually 100 per cent fat with little moisture (< 0.3 %), obtained by boiling butter at 110<sup>o</sup>C till all water is evaporated with a grainy texture and a characteristic flavour.

\*The product needs to be protected from chemical spoilage and rancidity caused by oxygen, light, heat, moisture and metal ions.

### **Characteristics of ghee**

- 1. Easy to absorb flavour from its environment
- 2. Easily prone for oxidation
- 3. Prone for adulteration.



#### **Packaging material should have**

- 1. Good fat resistance
- 2. Barrier properties against oxygen and moisture.
- 3. It shall be temper proof.
- \*A major portion of ghee is packed in lacquered tinplate containers of capacities ranging from 250 litres to 15 litres / kilograms.
- \*Since the product is very sensitive to oxygen, the tinplate containers are filled to the brim without any air gap.
- \*Ghee packed in tinplate containers is fairly stable and has a shelflife of about one year.
- \*For shorter shelf-life, 200 ml, 500 ml and 1 litre capacity pouches made of polyethylene film, multi layer co-extruded films of LDPE/HDPE are used, which are economical.

- \*Aluminium foil laminate pouches are also commonly used for packaging ghee.
- \*IS: 11352-1985 specifications for flexible packs for the packing of edible oils and vanaspati have been recommended for this purpose.
- \*For long term storage, stainless steel containers or tinplate cans are desirable.
- \*Ghee is also marketed in lined cartons with flexible laminated plastics as inner liner materials and in tetrapaks.
- \*In both these packs long shelf-life is achieved.
- \*Laminated pouches of metallised polyester based films are also used.







- \*Seven layer Nylon containing self standing pouch with closure is used.
- \*A laminate of HDPE / LDPE is used for packing of ghee.
- \*Another form is consisting of a multi-ply collapsible bag with a tap which can be housed in a rigid outer container. The container can be a box, a crate or a drum whose capacity varies between 3 and 200 liters. The bags and boxes are in collapsible form.
- \*Nylon/ Styrene-based laminates, EVOH are also being experimented as these materials could provide a fairly long shelf-life.





# **LHØNR JÖN**