Compound Curve

Prof. Prafulla Kumar Panda Centurion University of Technology and Management Contact:9438269572 <u>E-mail</u>: prafullapanda@cutm.ac.in



Shaping Lives... Empowering Communities A compound curve consist of 2 arcs of different radii bending in the same direction and lying on the same side of their common tangent. Then the center being on the same side of the curve.

 $R_1 = Smaller radius$

 $R_2 = Larger radius$

 $T_S =$ smaller tangent length = IT1

Tl=larger tangent length = IT2


 $\Delta 1$ = deflection angle b/w common

tangent and rear tangent


 $\Delta 2$ = angle of deflection b/w common tangent and forward tangent


D = point of compound curvature MN

= common tangent



and BI are two straights intersecting at I (P.I.). T_1DT_2 is the compound curve missing of two arcs of radii R_1 and R_2 (Fig. 1), and D is the point of compound mature. MN is the common tangent making deflection angles Δ_1 and Δ_2 at M md N. $\Delta = \Delta_1 + \Delta_2$ so that om the triangle IMN. $\frac{IM}{\sin \Delta_2} = \frac{IN}{\sin \Delta_1} = \frac{MN}{\sin (180^\circ - (\Delta_1 + \Delta_2))}$ $MN \sin \Delta_2$ $IM = \frac{1}{\sin((\Delta_1 + \Delta_2))}$ Hence, $IM = \frac{MN\sin\Delta_2}{\sin\Delta}$ $IN = \frac{MN \sin \Delta_1}{\sin (\Delta_1 + \Delta_2)}$ Also. $IN = \frac{MN\sin\Delta_1}{\sin\Delta}$ mmon tangent MN $MD = R_1 \tan \frac{\Delta_1}{2}$ M $DN = R_2 \tan \frac{\Delta_2}{2}$ Now, MN = MD + DN T_2 $MN = R_1 \tan \frac{\Delta_1}{2}$ Ri R. $+R_2 \tan \frac{\Delta_2}{2}$







A compound curve is normally set out by the method of deflection angles, using a theodolite (Fig 3 The procedure for setting out a compound curve may be spir into office work and field work for the purpose of explanation.

Office work

- 1. Calculate all the seven elements of the curve.
- 2. Locate P.I. (1), P.C. (T₁) and P.T. (T₂).
- 3. Calculate the chainage of T_1 (chainage of I tangent length T_2I)
- 4. Calculate the chainage of the point of compound curvature D.


Chainage of D = chainage of T_1 + length of arc T_1D

= chainage of
$$T_1 + \frac{\pi R_1 \Delta_1}{180^\circ}$$

- 5. Calculate the chainage of T_2 = chainage of $D + \pi R_2 \Delta_2 / 180^\circ$
- 6. Calculate the deflection angles for both the arcs from their tangents, eg. $\Delta_1 = \delta_1 = 1718.9 C_1/R$, where C_1 is the chord length and R is the radius.

Field work

- 1. Set up the theodolite at T_1 and set out the first arc T_1D by Rankine's method of deflection angles.
- 2. Shift the theodolite and set it up at point D.
- 3. Set the vernier A to read (360° $\Delta_1/2$), take a backsight on T_1 and transf the telescopes. Swing the telescope by $\Delta_1/2$ so that the telescope is directed along DN and vernier A reads zero.
- 4. Now lay out the second arc DT_2 in the same manner till T_2 is reached. 5. Check the observation by measuring the angle T_1DT_2 which should be equilibrium to (180° (A + A + D)). to $(180^\circ - (\Delta_1 + \Delta_2)/2)$ or $(180^\circ - \Delta/2)$.



Question:1

A compound curve ,consisting of two simple circular curves of radii 350m and 500m ,is to be laid out between two straights .The angles of intersection between the tangents and the two straights are 25° and 55°.Calculate the various elements of the d compound curve

 $A = BH^{\circ}$ 税税" 01 O_{6} Fig-4 angth of the common tangent PQ = PD + DQ $=R_1 \tan \frac{55^\circ}{2} + R_2 \tan \frac{25^\circ}{2}$ $= 350 \tan \frac{55^\circ}{2} + 500 \tan \frac{25^\circ}{2} = 293.04 \text{ m}$ $\Delta = 55^\circ + 25^\circ = 80^\circ$ tiangle IPQ, by the sine rule $\frac{IP}{\sin 25^\circ} = \frac{IQ}{\sin 55^\circ} = \frac{PQ}{\sin 80^\circ}$ $IP = \frac{293.04 \sin 25^{\circ}}{\sin 80^{\circ}} = 125.754 \text{ m}$ $IQ = \frac{293.04 \sin 55^\circ}{\sin 80^\circ} = 243.74 \text{ m}$ and $= 125.75 + 350 \tan (55^{\circ}/2) = 307.95 m$ Length of tangent $IT_1 = IP + PT_1$ $= 243.74 + 500 \tan (25^{\circ}/2) = 354.59 m$ Length of tangent $IT_2 = IQ + QT_2$

Question-2

The centre line of a new railway line is to be set out along a valley. The first straight AI bears 75°, whilst the connecting straight IB bears 120°, Due to site condition it has been decided to join the straights compound curve.

The first curve of radius is commences at T1,Situated 300m from I on straight AI, and deflects through an angle of 25° before joining 2^{nd} curve. calculate the radius of the 2^{nd} curve and distance of tangent point T₂ from I on the straight IB.

$$\Delta = 120^{\circ} - 75^{\circ} = 45^{\circ}$$

$$\Delta_{1} = 25^{\circ}$$

Hence, $\Delta_{2} = 20^{\circ}$
Tangent length = $MD = T_{1}M = R_{1} \tan \Delta_{1}/2 = 500 \times \tan 12^{\circ}30' = 110.8 \text{ m.}$
In triangle *MIN* $\angle NIM = 180^{\circ} - \Delta = 180^{\circ} - 45^{\circ} = 135^{\circ}$
Length $T_{1}I - T_{1}M = 300 - 110.8 = 189.2 \text{ m}$

Now,

or

 \Rightarrow

$$MN = \frac{IM \sin NIM}{\sin \Delta_2} = \frac{189.2 \times \sin 135^{\circ}}{\sin 20^{\circ}} = 391.2 \text{ m}$$
$$IN = \frac{IM \sin \Delta_1}{\sin \Delta_2} = \frac{189.2 \times \sin 25^{\circ}}{\sin 20^{\circ}} = 233.8 \text{ m}$$
$$T_2N = ND = MN - MD = MN - T_1M = 391.2 - 110.8 = 280.4 \text{ m}$$
$$T_2N = R_2 \tan \Delta_2/2$$
$$280.4 = R_2 \tan 10^{\circ}$$
$$R_2 = 1590 \text{ m}$$
$$IT_2 = IN + NT_2 = 233.8 + 280.4 = 514.2 \text{ m}$$




Fig-5

Question no:3

Two tangents AB and BC intersect at B ,another line DE intersect AB and BC at D and E such that angle ADE=150° and angle DEC =140°. The radius of curve is 200m and that of 2^{nd} is 300m. Chainage of B is 950m. Calculate all data necessary for setting out the curve.

dawge
$$A \in G = 950 \text{ m}$$
. Called a the second of the carries
the carries

$$M = 100^{\circ} - 150^{\circ} \cdot 20^{\circ}$$

$$A_{1} = 100^{\circ} - 150^{\circ} \cdot 20^{\circ}$$

$$A_{2} = 180^{\circ} - 150^{\circ} \cdot 20^{\circ}$$

$$A_{3} = 200^{\circ}$$

$$A_{1} = 100^{\circ} - 150^{\circ} \cdot 20^{\circ}$$

$$A_{2} = 180^{\circ} - 150^{\circ} \cdot 20^{\circ}$$

$$A_{3} = 200^{\circ} \text{ Ams} = 70^{\circ}$$

$$A_{4} = 100^{\circ} - 150^{\circ} \cdot 20^{\circ}$$

$$A_{5} = A_{1} + 52^{\circ} = 70^{\circ}$$

$$A_{1} = 200^{\circ} \times 40^{\circ} 15^{\circ} = 53 \cdot 58 \text{ m}.$$

$$A_{1} = 1072 = R_{5} T \text{ con } A_{1} = 200^{\circ} \times 40^{\circ} 15^{\circ} = 53 \cdot 58 \text{ m}.$$

$$A_{1} = 1072 = R_{5} T \text{ con } A_{1} = 200^{\circ} \times 40^{\circ} 15^{\circ} = 53 \cdot 58 \text{ m}.$$

$$A_{1} = 1072 + 72 \text{ for } A_{1} = 200^{\circ} \times 40^{\circ} 15^{\circ} = 109 \cdot 19$$

$$B = D T_{2} + 72 \text{ for } A_{1} = 200^{\circ} \times 40^{\circ} 15^{\circ} = 109 \cdot 19$$

$$B = D T_{2} + 72 \text{ for } A_{1} = 30^{\circ} \times 53 \cdot 53 + 109 \cdot 19 = 109 \cdot 19$$

$$B = D F \times 9n^{\circ} 30^{\circ} = 9F$$

$$B = 1072 + 72 \text{ for } 80^{\circ} = 100^{\circ} \text{ for } 80^{\circ} = 111 \cdot 39 \text{ m}.$$

$$B = D F \times 9n^{\circ} 30^{\circ} = 102 \cdot 70 \times 9n^{\circ} 30^{\circ} = 50 \cdot 61 \text{ m}.$$

$$B = D F \times 5n^{\circ} 10^{\circ} = 102 \cdot 70 \times 5n^{\circ} 30^{\circ} = 50 \cdot 61 \text{ m}.$$


$$\frac{87}{87} = 80 + 07, = 11.87 + 53.88 = 164 92
\frac{87}{8} = 8E + E73 = 86.61 + 109.19 = 195.8m.
(3) Charge a TJ = 950 - 164.92 = 285.000
(3) Shot anely (b = 71 × 200830° = 104.92
(3) Charge 9 TZ = 285.06 + 109.92 = 289.8m.
(4) Charge 9 TZ = 285.06 + 109.92 = 289.8m.
(5) Coy ane 19.96 = 71 × 300 × 40°
180° = 209.449m.
(7) Charge 8 TZ = 889.80 + 209.449 = 1095.24m.
Deskettin ognefic shop acme
Taking athl chord of 2000
No.4 Fail chord = 5500 = 100
No.4 Fail chord = 5500 = 100
No.4 Fail chord = 10189.72 = 00 40'29''.
(5) Show that desket = 0.3184.472 = 0° 40'30'' = 14°59''59''
dere Total deskettos angle = $\frac{760}{12}$
No.9 ever fill chord = 500
No.9 ever fill chord = 5500 = 100
No.9 ever fill chord = 10189.72 = 0° 40'29''.
(4) ever Total deskettos angle = $\frac{760}{12}$
 $eoluliated and ever = 5 × 2051'33'' + 0° 40'30'' = 14°59''59''
Ierost + 2009 cont 10005 gam.
No.9 ever fill chord = 209.494 - 180 = 25.99
Show fill chord = 209.494 - 180 = 25.99
Show fill chord = 209.494 - 180 = 25.99
Show fill chord = 209.494 - 190.959'59''
Show fill chord = 209.494 - 190.959'59''$$$


Compound Curves

Problem: Two tangents AB & BC are intersected by a line KM. the angles AKM and KMC are 140° & 145° respectively. The radius of 1st arc is 600m and of 2nd arc is 400m. Find the chainage of tangent points and the point of compound curvature given that the chainage of intersection point is 3415 m.

Solution:

$\alpha = 180^{\circ} - 140^{\circ} = 40^{\circ}$
$\beta = 180^{\circ} - 145^{\circ} = 35^{\circ}$
$ \emptyset = \alpha + \beta = 75^{\circ} $
$I = 180^{\circ} - 75^{\circ} = 105^{\circ}$
$KT_1 = KN = R_L \tan(\frac{\alpha}{2}) = 600 \tan(40^{\circ}/2)$
$KT_1 = KN = 218.38 m$
$MN = MT_2 = R_s \tan(\frac{\beta}{2}) = 400 \tan(35^{\circ}/2)$
$MN = MT_2 = 126.12 \text{ m}$
$KM = MT_2 + MN = 218.38 + 126.12$
KM = 344.50 m





Compound Curves

Solution:

.

