
# Hybridization Class XI



A.K.Gupta, PGT Chemistry KVS ZIET Bhubaneswar





#### What is hybridization?

Hybridisation (or hybridization) is the concept of mixing atomic orbitals into new hybrid orbitals (with different energies, shapes, etc., than the component atomic orbitals) suitable for the pairing of electrons to form chemical bonds in valence bond theory.


#### Types of hybridisation

sp<sup>3</sup>






# sp<sup>3</sup> Hybridization





## sp³ Hybridization



### Bonding in Methane (CH<sub>4</sub>)

Bonding in Methane: Carbon uses sp<sup>3</sup> hybridized orbital to form 4 covalent bond with hydrogen in methane.







#### Summary


- sp³ hybridization occurs when a C has 4 attached groups
- >sp3 hybrid orbital has 25% s and 75% p character
- > the 4 sp<sup>3</sup> hybrids point towards the corners of a tetrahedron at 109.28° to each other
- $\triangleright$ each sp<sup>3</sup> hybrid orbital is involved in  $\sigma$  bond formation.

# Formation of Sigma Bond






hybrid orbitals - sp, sp<sup>2</sup>, or sp<sup>3</sup>










#### Formation of 5 bond


#### sp<sup>2</sup> Hybridization






#### Formation of $\pi$ bond






#### Remaining p orbitals from sp or sp<sup>2</sup>




A.K.Gupta, PGT Chemistry, KVS ZIET BBSR



Planar molecule (each carbon is trigonal planar) with  $\pi$  cloud above and below the plane

 $\boldsymbol{\pi}$  bond hinders free rotation about the carbon-to-carbon bond




#### Formation of $\pi$ bond

# Summary


- sp² hybridization occurs when a C has 3 attached groups
- >sp2 hybrid orbital has 33% s and 67% p character
- > the 3 sp² hybrids point towards the corners of a triangle at 120° to each other
- >each sp² hybrid orbital is involved in a  $\sigma$  bond formation and the remaining p orbital forms the  $\pi$  bond
- $\triangleright$  a double bond as a  $\sigma$ +  $\pi$  bond

## Bonding in Ethene (H2C=CH2)

Each carbon uses sp<sup>2</sup> hybridized orbital to form 2 sigma bonds with hydrogen and 1 sigma bond with other carbon. Pure p-orbital of C forms Pi bond.




### sp Hybridization



### Bonding in Acetylene


Each Carbon atom in acetylene uses sp hybridized orbital's to form 2 sigma bonds with neighbouring Hydrogen and 1 Carbon atom. 2 pure orbital's forms 2 Pi bonds as shown.




### sp Hybridization

#### **HYBRIDIZATION**

Example: Ethyne (C<sub>2</sub>H<sub>2</sub>)



## Bonding in Acetylene



#### Summary

- Sp hybridization occurs when a C has 2 attached groups
- >sp hybrid orbital has 50% s and 50% p character
- > the 2 sp hybrids are oriented at an angle of 180° to each other
- $\triangleright$  each sp hybrid orbital is involved in a  $\sigma$  bond formation and the remaining two p orbital forms two  $\pi$  bonds
- $\triangleright$ a triple bond = one  $\sigma$  + two  $\pi$  bonds

# Bond formation from hybridization

- Single bond
  - sigma bond
- · Double bond


side-to-side

end-to-end

- sigma bond + pi bond
- Triple bond
  - sigma bond + pi bond + pi bond

How are the two pi bonds in the triple bond oriented?

#### What is the hybridization in each carbon atom?




sp<sup>3</sup> - 2, 5 tetrahedral

sp<sup>2</sup> - 1, 3, 4 trigonal planar

sp - 6, 7 linear

#### What is the hybridization in each carbon atom?



# Draw the Lewis dot structure - $C_3H_4$

Remember to chain the carbon atoms and fill the octet of the center carbon atom in the chain first.

You should have come up with one of these structures:

# Thanks

Please send your feedback
To
ashokkgupta62@rediffmail.com