


CONCEPT OF ACID AND BASE

BY, LIPSA SAMAL
ASST. PROF (PA & QA), SPLS, CUTM



ACID

1. ARRHENIUS CONCEPT- an acid is 'a substance which yields hydrogen ion (H+) in an aqueous medium'; and that of a base is 'a substance which yields hydroxyl ions (OH-) in an aqueous medium'.

2. LOWRY AND BRONSTED'S THEORY

According to Lowry and Bronsted's theory—'an acid is a substance capable of yielding a proton (hydrogen ion), while a base is a substance capable of accepting a proton'. Thus, a complementary relationship exists between an acid and a base that may be expressed in a generalized fashion as below:

A acid \longrightarrow H++B base

Centurion

CONRUGATE ACID-BASE PAIR- The pair of substances which by virtue of their


mutual ability either gain or lose a proton is called a conjugate acid-base pair.

Examples are,

Acid	Base
HNO3	H+ + NO3
HCI	H+ + CI-
СН3СООН	H+ + CH3COO-
NH4+	H+ + NH3

in a situation where actual acid-base behaviour exists then an interaction should involve two sets of conjugate acid-base pairs, represented as:

$$A1 + B2 \longrightarrow B1 + A2$$
(acid1) (base2) (base1 (acid2)



 $HCl + NH3 \longrightarrow Cl - + NH4 +$

(acid1) (base2) (conjugate base1) (conjugate acid2)


The species which essentially differ from each other by one proton only, are known as conjugate base and acid respectively.

Demerits of Lowry- Bronsted Theory- It does not hold good for non protonic solvents, for instance: BF3, POCl3 and SO2.

3. LEWIS'S THEORY -

According to Lewis—'an acid is an electron pair acceptor, whereas a base is an electron pair donor'.

Eg-Boron trifluoride(acid) and Ammonia (base)




4. <u>USANOVICH THEORY-</u> Usanovich (1934) modified the Lewis concept of acid and base According to him:

Acid: It is a chemical species that reacts with a base thereby giving up cations or accepting anions or electrons.


Base: It is a chemical species that reacts with an acid thereby giving up anions or electrons or combines with cations.

e.g, in the Cerous (III)—Ceric (IV) system, the ceric ion (IV) behaves as an oxidizing agent and acts as an acid; while the cerous ion (III) behaves as a reducing agents and acts as a base.



5. <u>LUX-FLOOD CONCEPT</u>-

- The concept of acid-base reactions with respect to the oxide ion was first introduced by Lux (1929) and supported by Flood (1947).
- According to the Lux-Flood concept—'an acid is the oxide-ion acceptor while a base is the oxide donor'. Examples : MgO + SiO2 \rightarrow MgSiO3 CaO + SO3 \rightarrow CaSO4
- In the above reactions both MgO and CaO are the oxide ion donor and hence act as bases, whereas SiO2 and SO3 are the oxide-ion acceptor and hence act as acids.



THANK YOU