

THRESHER

What is threshing?

UNIVERSITY
Shaping Lives...

It is process of separation of grains from the earheads/ removing of kernel from pods etc.

It depends on many bio-physical characteristics of grains in earheads

Among the primary characteristics which determine the quality & quantity of mechanical force required for threshing are:

Type of panicle

Variety

Bond strength of panicle

Moisture content of grain

Uniformity of maturity of grain in the earhead.



Types of thresher

According to power

Manual

Mechanical

According to Type of crop

Single crop

Multi-crop

According to functional components

Hold on type

Feed in type

Drummy type

Regular type

Axial flow type

According to threshing cylinder

Syndicator type

Hammer mill or Beater type

Spike tooth type

Raspbar type

Wire loop type

Manual threshing






Capacity: approximately 15 person days/ha

Threshing by impact
High shattering losses
Pre-drying might be needed





Pedal thresher

Capacity:40 kg/h (2 persons)

Principle

Wire loop threshing drum

Mainly combing the grains off the straw, some threshing by impact


Advantages

Maintains the straw

Disadvantage

Needs winnowing after threshing





Wire loop threshing drum





Pedal operated groundnut thresher


Capacity: 30 kg/h

Cost: Rs 3500/-


Power operated paddy-cum groundnut thresher

Capacity: 70 kg/h

Cost: Rs 14,520/-



- 1. Threshing Cylinder
- 2 Spikes
- 3 Fly wheel
- 4 Feeding chute
- 5 Concave
- 6 Bhusha outlet
- 7 Pulleys
- 8 Straw outlet
- 9 Transport wheel



Axial-flow thresher

Capacity: 0.3-3t/h

Threshing through impact and friction

Large range of sizes available

With or without cleaner


Advantages


Can thresh wet crop

Produced in 9 different countries used by several 100,000 rice farmers across Asia


Axial flow principle








Axial flow thresher





<u>Different parts of a thresher and their functions</u>

A mechanical thresher consists of the following parts:

Feeding device (chute/tray/hopper/conveyor)

Threshing cylinder (spikes/rasp-bars/wire-loops/hammer mill type/ syndicator type)

Concave (woven-wire mesh/punched sheet/welded square bars)

Blower/aspirator

Sieve-shaker/straw-walker.

Power transmission unit