

### Purpose of Discriminant Analysis

Classify the subjects into mutually exclusive classes or groups on the basis of some information on the predictor variables (indep/disc).

To attain the goal, a linear combination of the predictor variables are formed.

This linear combination is used to classify the subjects.

The classification is to be done in such a manner that the within group variance is as small as possible.

## Understanding Purpose of Discriminant Analysis


Let's Frame Two
Examples

1. Bidding for an all-rounder in next IPL Auction 2. Deciding about a loan by the banker

# Bidding for an all-rounder in next IPL Auction


Name	Country	BSR (X <sub>1</sub> )	ER (X <sub>2</sub> )	BA (X <sub>3</sub> )	Avg. (X <sub>4</sub> )	SR (X <sub>5</sub> )	Outcome
SP Narain	West Indies	20.06	6.02	22.53	138	126.72	Super Perf
DJ Bravo	West Indies	20.04	8.46	29.85	21	116.41	Super Perf
SA Hasan	Banglades h	18.23	6.8	20.66	23.08	121.33	Performer
K Pollard	West Indies	21.13	8.26	29.09	20.21	132.19	Non-Perf
S Raina	India	26.08	7.57	32.92	29.7	132.96	Performer
R Jadeja	India	26.16	7.27	31.71	9.67	93.55	Performer
A Russell	West Indies	24.33	9.24	37.48	14.38	129.21	Non-perf
JP Dumini	S Africa	22.16	7.75	28.63	36.96	123.9	

#### A new allrounder is offered for bidding



Name	Identit y Check	Addres s Proof	Credit Score	Income / month	A/C in bank	Salary A/C	Job type	Loan Decision
Anawa r	1	1	578	78243	1	1	Salaried 1	Yes
Binit	1	1	630	64534	1	0	Salaried 1	Yes
Chadni	1	0	732	21010	0	0	Salaried 2	No
David	1	0	686	103476	0	0	Business	Yes
Juliya	1	1	816	76345	1	0	Business	No
June	1	1	800	122673	1	1	Salaried 1	Yes
Manas	1	1	706	87435	0	0	Salaried 1	No
Nandu	1	0	710	102260	Λ	$\cap$	Calariad	Voc

#### Will I get the loan?



#### Assumptions

The observations are random in nature and the independent variables are normally distributed.

There must be at least two groups and each case belongs to only one groups.

Groups shall be defined before collecting the data.

The var-covar matrix of the groups shall be identical

## How Discriminant Analysis works?

Based on the newly defined axes each observation is transformed using a function called as the discriminating function, D

Namely, D = 
$$v_1X_1 + v_2X_2 + ... + v_pX_p + a$$

v<sub>i</sub> is the discriminant coefficient (weight) corresponding to the i<sup>th</sup> variable.

'a' is a constant.

Grouping Variable

#### Discriminating Variable

	Name	Identity Check	Address Proof	Credit Score	Income/ month	A/C in bank	Salary A/C	Job type		Loan Decision
	Anawar	1	1	578	78243	1	1	Salaried	1	Yes
	Binit	1	1	630	64534	1	0	Salaried	1	Yes
	Chadni	1	0	732	21010	0	0	Salaried	2	No
	David	1	0	686	103476	0	0	Busines	s	Yes
	Juliya	1	1	816	76345	1	0	Busines	s	No
	June	1	1	800	122673	1	1	Salaried	1	Yes
	Manas	1	1	706	87435	0	0	Salaried	1	No
	Nandu	1	0	712	192369	0	0	Salaried	2	Yes
	Opu	1	1	590	117640	1	0	Busines	s	Yes
	Salim	1	1	670	25731	0	0	Salaried	2	No

Training

sample

For each observation, the value of the discriminant function i.e. D is determined.

In case of a two-group classification, the observations with D value less than a given cut-off value are classified to one group

While those with larger cut-off values are classified into another group.

In case of classification with more than two groups (k, say) there shall be k - 1 discriminant function.

D = 0.2 Iden + .3 Add +0.27 CS - 1.3 Inc +...-1.1 JT +3.8

#### Identity: OK

Address: OK

D = 7.85

Credit Score: 675

Income: Rs, 60000 (10)

A/C in Bank: No



Job type: Business

