# RADIO ISOTOPES

M.Prasad Naidu MSc Medical Biochemistry, Ph.D.Research Scholar

# INTRODUCTION

- An Atom is composed of a positively charged nucleus that is surrounded by a cloud of negatively charged electrons.
- The number of orbital electrons is equal to the number of protons present in the nucleus , this number is known as atomic number (Z).
- The sum of protons & neutrons in a given nucleus is the mass number.

A = Z + Nnumber of neutrons ) (N is the

#### DEFINATION

- Isotopes are nuclides with the same atomic number but different mass numbers .
- The spontaneous degradation of nucleus & transmission of one element to another with consequent emission of rays ( or ) particles is known as radioactivity .

#### **TYPES OF RADIO ACTIVE DECAY** 1)Decay by negatron emission,

- 2 )Decay by positron emission ,
- 3 )Decay by  $\alpha$  particle emission ,
- 4 )Decay by gamma rays emission ,
- 5 )Decay by X rays emission .
- Decay by Negatron emission : When Neutron is converted to a Proton by the ejection of a negatively charged  $\beta$  particle called a Negatron ( $\beta^{-}$ ) is emitted . Neutron Proton + Negatron

Corrector emission is very important to biochemist .

- ${}^{3}H \& {}^{14}C$  are  $\beta$  emitters can be used to label any organic compound .
- <sup>35</sup> S used to label methionine , to study protein synthesis.
- <sup>32</sup> P, a powerful tool in molecular biology & used as a nucleic acid label.
- β emitting isotopes are most suitable for autoradiography, particularly for cell & tissue localization experiment.

# • When Proton is converted to Neutron apositively charged $\beta$ particle known as positrons( $\beta^+$ ) is emitted.

Proton Neutron + Positron .

 Positrons are extremely unstable, they dissipate their energy in interaction with electrons.

# Contd The mass & energy of 2 particles( positron & electron ) are converted to 2 γ (gamma) rays are emitted at 180 to each other .

- Positrons are detected by the same instrument used to detect γ radiation .
- Positron emission tomography used to identify active & inactive areas of brain .

# DECAY BY α PARTICLE EMISSION Isotopes of elements with high atomic numbers frequently decay by emitting α particle .

- An α particle is a helium nucleus contains 2 protons & 2 neutrons (<sup>4</sup>He<sup>2</sup> +).
- α particles have high ionizing power, less penatrance & are extremely toxic.
- Isotopes that decay by α particle emission are not frequently encountered in biological work .

# ELECTRON CAPTURE Proton captures an electron orbiting in the inner most shell .

Proton + Electron

Neutron + X rays

 Proton becomes a Neutron & electromagnetic X rays is given out .

- **These**  $\gamma$  **Fays Festilt from a transformation S** in the nucleus of an atom ( in contrast to X rays emission ) & frequently accompany  $\alpha \& \beta$  particle emission .
- Emission of γ radiation leads to leads to no change in atomic number or mass.
- γ radiation has low ionizing power but high penetration.

#### HALF LIFE OF RADIOISOTOPES

- Half life of radio isotope is the time period required for radionuclide to decay to one half the amount originally present .
- $t_{1/2} = 0.693/\lambda$ .
- λ is decay constant, a characteristic of a given isotope decaying in unit time.

### UNITS OF RADIOACTIVITY

- Bequerel is the unit of radioactivity is defined as one disintegration per second (1 d. p. s. ).
- Frequently used units are curie , defined as the quantity of radioactive material in which the number of nuclear disintegrations per second is same as the 1gm of radium ( 3.7 X 10 <sup>10</sup> Bq ).
- Specific activity is defined as disintegration rate per unit mass of radioactive atoms.

#### **Detection & Measurement of**

- **Radioactivity** • Various methods for measuring radioactivity
- 1) Autoradiography ,
- 2) gas ionization detectors &
- 3) fluorescent scintillation , are the basis to detect & measure radioactivity in clinical laboratory .

#### AUTORADIOGRAPHY

- In autoradiography a photo graphic emulsion is used to visualize molecules labeled with a radioactive element .
- The emulsion consists of a large number of silver halide crystals embedded in a solid phase such as gelatin .

Contd

- As energy from radioactive material dissipated in the emulsion , the silver halide becomes negatively charged & is reduced to metallic silver.
- Photographic developers are designed to show these silver grains as blackening of the film , & fixers remove any remaining silver halide .

# **Orchriq**ues of autoradiography have become more important in molecular biology .

- Weak β emitting isotopes (<sup>3</sup>H,<sup>14</sup>C,<sup>35</sup>S) are most suitable for autoradiography, particularly for cell & tissue localization experiments.
- Low energy of negatrons & short ionizing track of isotope will result in discrete image .



 β emitting radioisotopes are used when radioactivity associated with subcellular organelles is being located

- <sup>3</sup>H is the best radioisotope , since it's all energy will get dissipated in the emulsion .
- Electron microscopy can then be used to locate the image in the developed film .



- For location of DNA bands in electrophoretic gel, <sup>32</sup> P labeled nucleic acid probes are useful .
- After hybridization ,hydrolysis & separation of DNA fragments by electrophoresis , a photographic plate is applied to to the covered gel & allowed to incubate .

### Choice of emulsion & film

- X ray films are generally suitable for macroscopic samples such as whole body, electrophoretographs , chromatographs .
- When light (or) electron microscopic , detection of image ( cellular , subcellular localization of radioactivity ) very sensitive films are necessary .

#### contd

- Time of exposure & film processing depends upon the isotope , sample type , level of activity , film type & purpose of the experiment.
- In Direct autoradiography , the X ray film or emulsion is placed as close as possible to the sample .

# Fluorography

• Fluorography is used to cut short the time of exposure

- A fluorescent material such as ( PPO or sodium silicate )is infiltrated into the gel .
- Negatrons emitted will excite fluorescent material & emit light , which will react with the film .

When 3 Plabeled of C-isotope labeled samples are used because of more penetrating nature of γ rays poor image is formed .

- Intensifying screens helpful in giving a good image .
- Solid phosphorus is applied on the other side of the film from the sample .

#### Other methods for amplifying image

- Sensitivity of film is increased by preflashing .
- Preflashing involves millisecond light flash prior to sample is being brought to juxtaposition with the film

• Low temperature exposure will provide higher sensivity.

# GAS FILLED DETECTORS

- Detectors filled with gases or gas mixtures are designed to capture & measure the ions produced by radiation within the detector (excitation & ionization produces a pulse of current).
- Gas filled detectors used to measure radioactivity include
  - 1) Ionisation chamber
  - 2) Proportional counter
  - 3) Geiger Muller counter
- Geiger muller counter is used in clinical laboratory

### SCINTILLATION COUNTING

- In scintillation process the radiation causes excitation & ionization of fluorescent material, the absorbed energy produces a flash of light.
- The principal types of scintillation detectors found in clinical laboratory are 1) sodium iodide crystal scintillation detector .
  - 2) the organic liquid scintillation detector.

#### APPLICATIONS OF RADIOISOTOPES IN BIOLOGICAL SCIENCES

- Radioisotopes are frequently used for tracing metabolic path ways .
- Mixing radiolabeled substrates & samples of the experimental material & collecting samples at various times, extract & separate the products by chromatography.
- Radioactivity detectors can be attached to gas liquid chromatography or HPLC columns to monitor radioactivity coming off the column during separation



- It is possible to predict the fate of individual carbon atoms of (<sup>14</sup> C ) acetate through TCA cycle.
- Methods have been developed to isolate intermediates of the cycle & to ascertain the distribution of carbon atoms within each intermediate( this is called as specific labeling pattern ).

• Radioisotopes are used in ascertaining the turnover times for particular compounds .

USP

- Group of rats injected with radio labeled amino acid left for 24 hours allowing to assimilate into proteins.
- The rats are killed at suitable time intervals & radioactivity in organs or tissue of interest is determined.

 Radioisotopes are widely used in study of the mechanism & rate of absorption, accumulation & translocation of inorganic & organic compounds in the animal.

use

 Radiolabeled drugs are useful in pharmokinetic studies ( site of accumulation , rate of accumulation , rate of metabolism & metabolic products ) .

#### ANALYTICAL APPLICATIONS OF RADIOISOTOPES

- Virtually any enzyme reaction can be assayed using radioactive tracer methods.
- Radioisotopes have been used in study of 1) The mechanism of enzyme action &
   2)In studies of ligand binding to membrane receptors.



 Isotope dilution analysis : when a known amount of radioactive tracer is introduced into an unknown volume , after thorough mixing , the concentration of radio tracer is estimated .

V = N / n

V = volume to be measured

- N = total number of counts injected
- n = number of counts per ml

#### Contd

- By isotope dilution analysis plasma volume , total body water , E.C.F volume , RBC cell volume , total exchangeable sodium can be measured .
- <sup>131</sup> I labeled human serum albumin useful in diagnosing protein losing enteropathy .
- <sup>51</sup> Cr labeled RBC are given intra venously if there is any GI blood loss radioactivity can be measured .

#### Contd

- Radio immuno assays are useful in analysis of hormones, growth factors, tumour markers , cytokines, bacterial antigens, vitamin D & various biological molecules.
- In RIA either antigen or antibody is radiolabeled .
- Radiolabelling must not interfer in the binding of antigen & antibody , has to be compared with unlabeled ones .

#### Radioisotopes used in Diagnostic

#### purposes

- Radio active iodine uptake & imaging reveals the functional status of thyroid tissue , including nodules , the whole thyroid gland & metastatic foci .
- <sup>131</sup>I is used for thyroid cancer imaging & management .
- <sup>123</sup> I is used for thyroid scan .



- Schilling test : used to detect the malabsorption of vitamin B12 .
- Measurement of urinary radio labeled B12 following a saturation dose of non labeled stable B12
- 1000µg of non labeled B12 is given IM.
- 1µg of labeled B12 is given orally.
- Less than 5% excretion of radio labeled dose indicates malabsorption of Vit B12.

#### Contd

- Technetium 99 m ( 99 m Tc ) pertechnetate: it is trapped by the thyroid gland but not organified , it can give a reasonable thyroid image even if patient is taking thyroid replacement therapy .
- 99m Tc MIBI ( 2 methoxy 2 methyl propyl isonitrile ) used in preoperative localization of parathyroid gland .



- Thalium 201 facilitates detection of <sup>131</sup> I negative metastatic thyroid cancer lesions in total body scan.
- Iodo cholesterol <sup>131</sup>I labeled 6 iodo methyl -19 norcholesterol, NP-59 used in adrenocortical imaging in cushing disease, cortisol producing adenoma,
  - primary aldosteronism .

## contd

- MIBG ( <sup>131</sup> I or <sup>123</sup> I meta iodo benzyl guanidine )scan is useful in adrenomedullary imaging in pheochromocytoma , neural crest tumors , carcinoid ,
  - medullary carcinoma thyroid .
- Isotope bone scan is extremely useful in pagets disease of bone.

contd

 Indium 111 octreotide scan a somatostatin analogue used to show : neural crest tumors,

pheochromocytoma,

carcinoid ,

paraganglioma &

medullary carcinoma thyroid .

 Fluorodeoxy glucose PET helpful in detection of <sup>131</sup> I negative thyroid carcinoma ,& MIBG negative pheochromocytoma .

Contr

• Strontium 89 & Samarium 153 are two radionuclides that are preferentially taken in bone , particularly sites of new bone formation, capable of controlling bone metastasis .



- Xenon 133 is useful in lung function tests & is useful in diagnosing malfunctions of lung ventilation .
- (<sup>133</sup> I) iodohippuric acid used in diagnosis of kidney infections, kidney blockages or imbalance of function between two kidneys.

 <sup>51</sup>Cr –EDTA , <sup>99m</sup> Tc-DTPA & <sup>125</sup>I – iothalamate have clearance closest to inulin . ( useful in measurement of GFR )

Contr

 <sup>99m</sup> Tc-DTPA has the advantage that it can also be used for gamma camera imaging .

#### Therapeutic uses of radioisotopes

- Radioisotopes have role in management of malignancies.
- Tumour tissues are attacked by beam of radiation .
- <sup>131</sup>I is used for treatment of thyroid cancer .
- Teletherapy : <sup>60</sup>Co is the source of radiation , radiation occurs from a distant source .
- Radioactive material is impregnated into body in form of beeds or needles oe either as surface applicants.

#### contd

- <sup>6</sup>°Co or radium rods are used in treatment of cervical cancer.
- <sup>32</sup> P surafce applicants have role in Rx of squamous cell carcinoma , superficial angiomas , mycosis fungoides .
- Boron 10 neutron irradiation has been recently used in the treatment of the inoperable & rapidly fatal brain tumour like glioblastoma multiforme

## Contd

- <sup>48</sup>Au (gold) is used for treatment of malignant pleural & peritoneal effusions.
- Yttrium<sup>90</sup> synovectomy is useful in management of arthrites in hemophelics .

# Radiation hazards Immediate effects :

- 1) Bone marrow syndrome,
- 2) Gastrointestinal track syndrome,
- 3) Central nervous system syndrome.
- Bone marrow syndrome : severe damage to hematopoietic system , leads to pancytopenia occurs with exposure of 200-1000 rads.

 Gastro intestinal syndrome : Severe damage to mucosal epithelium . Exposure of 1000 – 5000 rads is the cause .

contr

- Central nervous system syndrome : Blood brain barrier is lost . Exposure of 5000 10000 rads is the cause .
- Delayed effects : carcinogenesis by damaging DNA

### Radiation safety & protection The most popular triad of radiation protection is time ,distance & shield (TDS).

- Minimum possible time should spent near the radiation zone .
- Handling of radioactive material should be done from maximum possible distance .
- Person should be shielded by lead .

