
Pathogenicity Mechanism of Bacteria

General terms used in Pathogenesis

- Infection: growth and multiplication of a microbe in or on the body with or without the production of disease.
- The capacity of a bacterium to cause disease reflects its relative "Pathogenicity."
- Virulence is the measure of the pathogenicity of a microorganism.
- **Pathogenesis** refers both to the mechanism of infection and to the mechanism by which disease develops.

Bacterial Virulence Factors



Function of virulence factors

- 1. Colonization of a niche in the host (this includes adhesion to cells)
- 2. Immuno evasion, evasion of the host's immune response.
- 3. Immunosuppression, inhibition of the host's immune response.
- 4. Entry into and exit out of cells (if the pathogen is an intracellular one).
- 5. Obtain nutrition from the host.

Characteristics of Pathogenic Bacteria

- 1. Transmissibility.
- 2. Adherence to host cells.
- 3. Invasion of host cells and tissue.
- 4. Evasion of the host immune system.
- 5. Toxigenicity

Mechanism of Bacterial Pathogenesis

- 1. Destroying tissue (invasiveness).
- 2. Producing toxins (toxigenicity).
- 3. Stimulating overwhelming host immune responses.

• Invasiveness:

✤It is the ability to invade tissues.

*encompasses mechanisms for colonization (adherence and initial multiplication).

 production of extracellular substances which facilitate invasion (invasins).

Toxigenesis

- It is the ability to produce toxins.
- Bacteria may produce two types of toxins called **exotoxins** and **endotoxins**.
- Exotoxins:
- \checkmark These are released during bacterial cells growth and may act at tissue sites.
- Endotoxins:
- \checkmark These are cell-associated substance.
- ✓ released after bacterial cells death / cells that are lysed as a result of effective host defense (e.g. lysozyme).

Differentiation of Exotoxins and Endotoxins

Exotoxins

- 1. Excreted by living cells.
- 2. Relatively unstable.
- 3. Highly antigenic
- 4. Converted into antigenic, nontoxic toxoids.
- 5. Highly toxic.
- 6. Example- *Staphylococcus aureus*

Endotoxins

- 1. Released after death of bacteria.
- 2. Relatively stable.
- 3. Less antigenic
- 4. Not converted into toxoids
- 5. Weakly toxic.
- 6. Example- *Aeromonas hydrophila*

How do we know that a given pathogen causes a specific disease?

- Koch's postulates:
- In 1884, Robert Koch proposed a series of postulates.
- These postulates have been applied more broadly to link many specific bacterial species with particular diseases.
- 1. The pathogen must be present in every case of the disease.
- 2. The pathogen must be isolated from the diseased host & grown in pure culture.
- 3. The specific disease must be reproduced when a pure culture of the pathogen is inoculated into a healthy susceptible host.
- 4. The pathogen must be recoverable from the experimentally infected host.

