

THERMAL PROCESSING OF FISHERY PRODUCTS



Unit Operations in Canning

- Selection, handling and preparation of raw material
- 2. Salting/blanching/pre-cooking
- 3. Filling the container
- 4. Exhausting
- 5. Sealing the container
- 6. Washing the sealed container
- 7. Thermal processing
- 8. Cooling the container and contents, drying, labeling and storing

- International canned fish market can contents should leave no 'plate-waste' from consumer
- Raw material subjected to pre-processing finished product
- Separation of parts inedible even after prolonged heat treatment pre-retorting
- De-heading/knobbing, evisceration, de-scaling, trimming of fins

Selection, handling and preparation of

- Sardine, Mackerel, Tuna, Seer fish raw material
- Shrimp, clam, oyster, mussel, crab
- Raw material quality prime importance determines canned product quality
- Thermal processing standardized wrt known level of microbial population – excess number – failure of destruction
- High bacterial load longer exposure to high temperature – adverse effect on product quality

- High bacterial load contamination/unhygienic post-harvest handling/unhygienic habitat
- Fresh fish prime quality, low bacterial load proper dressing, thorough washing in potable water, proper icing
- Temporary storage before canning:
 - OSprinkling salt over fish
 - OCSW or RSW storage
 - Olce storage
 - OFrozen storage

- Dressing type of fish and type of end product
 - OSardine de-scaling, beheading, de-gutting, removal of fins, tail
 - OTuna bleeding on board
 - OShrimp beheading, peeling, de-veining
 - OBivalves depuration
 - OCrabs carapace, body flap, gills, legs removed
- Skinning tuna, mackerel better presentation
- Chemical skinning process
 - Fish immersed in 70-80°C NaOH at pH 14 loosened skin removed by water-jet sprays – immersion in HCl at pH 1 – neutralises residual alkali

- Filleting not done bones soften after retorting edible
- Deviate from traditional presentation, weaken structure of fish – break up during retorting
- Oily fish fillets damage during filling
- Mackerel pre-cooked at 90°C until flesh separated in 2 halves from spine without breaking up

- Automatic knobbing and packing machines
- Dressed fish washed remove blood, adhering dirt, slime etc
- Cleanses and reduces bulk of fish easy handling

- Pre-process operations modify sensory aspects and cause denaturation of proteins and loss of water
- Size-cutting as per can size

- Salting/Brining mixing with solid salt/immersion in brine
 - Batting/blanching/pre-cooking
 - Removal of blood and slime
 - Stabilization/enhancement of flavour characteristic taste of fish
- Insignificant denaturation of sarcoplasmic proteins solubilize and conveyed to surface – water evaporates in post-brining stage
- Form shiny, attractive gloss permits further moisture loss and inward diffusion of volatile components (smoking)
- Brines also carry colours, smoke flavour or acetic acid toughens skin/epidermis – prevents sticking to can sides on retorting

- Inward migration of salt during brining depends on:
 - Thickness of pieces
 - Fat content layers of fat barriers for salt entry
 - Concentration of brine

- Dry salting large fish canned as 'cuts' or 'steaks'
- Marinating subsequent to being sold in chilled form
 - Preservation of shellfish meats in glass jars prior to pasteurization or sterilization

- Smoking hot or cold –imparts characteristic flavor and succulent taste to fatty fish
- Drying during smoking denatures and sets proteins reduces exudation into surrounding liquor during retorting
- Precooking and antibacterial effect

- Initial composition of fatty fish for smoking and canning – affects end-product quality
- Low fat fish lose more water during smoking firm and easy handling during filling – toughtextured after sterilization
- High fat fish break up easily during filling too soft finished product
- Smoke flavour incorporated in brine

Blanching/Pre-cooking

- Releases 15-30% of body water Controls drained weight :
 - Under-blanching under-weight of product
- Water-oil emulsion/cloudiness, internal can corrosion during thermal processing – dissolved proteins
- Eliminates possibility of further release of water from fish into can during thermal processing
- Minimises 'curd' proteinacous exudate (unsightly curd) in surrounding liquor during processing

Blanching/Pre-cooking:

- Shrinkage of fish adequate and easy filling of cans
- Imparts firm and proper texture to fish
- Cleanses fish and reduces bacterial load
- Inhibits enzymatic action
- Retains nutritive value reduces browning reaction
- Expels respiratory gases from tissue improves vacuum
- Removes raw flavour and imparts colour
- Over-blanching excessive drained weight,

Cold blanching –

- Immersing fish pieces in salt solution –
 concentration and dipping time depends on species
 and type of fish sardine, mackerel etc
- Hot blanching 5-6% brine
 - Boiling brine shrimps characteristic red colour,
 curls and shrinks adequate filling
 - Substantial reduction in enzymes and microbial load
 - Leaching of soluble proteins and other nutrients
 - Stabilization of solid weight

Objectives of pre-cooking:

- to partially dehydrate the flesh and prevent release of those fluids during retorting which would otherwise collect;. in the container;
- to remove natural oils, some of which have a strong flavour;
- to coagulate fish protein and loosen meat from the frame;
- to develop desirable textural and flavour properties; and
- to make the flesh of crustacean firm and aid their release from the shell

• **Pre-cooking** – in steam with or without pressure – till no further water exudes during heat processing - minimizes loss of proteins

- 20-25% moisture loss from fish
- Lean fish longer time than fatty fish
- Sardine pre-cooked in steam after packing in cans (after cold blanching)
- Exuded water (exudate) decanted at the end
- During precooking cans kept inverted over grid water drains away as it is formed
- Tuna pre-cooked in steam under pressure (before packing in cans) – solid salt added to pre-cooked fish after filling in cans

- Heating during pre-cooking done till all exudate is removed – core temperature reaches 80°C
- No loss of proteins, minerals, flavour
- Pre-cooking of clam exudate collected, added back for taste retention

Filling into container

- Manual or automated
- Style of packing type of can affects heat transfer to cold spot
 - Round can axial packing
 - Rectangular can lengthwise or breadth wise packing

- Tuna chunks/flakes
- Crab flakes
- Prawn, clam meat random arrangement

- Thorough washing of cans removal of dust, grit, traces of chemical salts viz ZnCl2
- Correct weight influences other operations
- Heat processing of sealed cans generates internal pressure:
 - Expansion of can contents
 - Increase in water vapour pressure
 - Expansion of air and other gases in food

- Internal pressure balanced by expansion of cans and bulging of can ends
- Completely filled can excessive strain distortion of seam
- Headspace left over food influences exhausting and act as reservoir of gases liberated during heat processing
- Careful filling no air pocket occluded in the pack which cannot be expelled during exhausting

- Uniform headspace of 6-9mm
 - Less headspace bulging of can ends
 - Excess product change in heat processing schedule – economic loss
 - More headspace affects vacuum and accelerates product deterioration and container corrosion
- solid-liquid ratio constant change affects rate of heat penetration
- Filling area clean free of flies, dust, dirt and other sources of contamination

Criteria for ideal container:

- Strong enough to protect contents during transportation and handling
- Light enough for economic handling
- Impervious to air, moisture, dust and disease germs after sealing
- Pleasing and sanitary appearance
- Non-toxic internal lacquer
- Withstand sterilization temperature and pressure
- Inexpensive cheap enough to discard after use
- Canable of sealing at high speed

- OTS cans tin plate 98% steel and 2% tin coating
- Canning fish internally coated with sulphur resistant lacquer to prevent black discolouration
- Sulphide blackening Sulphur from sulphur containing amino acids in fish + iron in tin can – black iron sulphide
- Oleoresinous C-enamel lacquer Zinc oxide + sulphur – Zinc sulphide (white)

Size of cans

- Trade name followed by dimensions of diameter
 and height expressed as a 3 digit number
- 1st digit diameter in inches
- Next 2 digits in sixteenth of an inch

Common cans in fish canning industry

Trade name	Dimensions
4 _{1/2} oz prawn can	301x203
8 oz prawn can	301x206
1 lb jam can	301x309
No.1 tall can	301x409
8 oz tuna can	307x113
¼ dingley	404x302x014 (LxWxH)





OTS can

Addition of liquid medium/additives

- Liquid medium
 - Constituent of product improves taste, texture, flavour
 - Facilitates rapid heat penetration enhances sterilization
 - Avoids overcooking at points closest to can walls
- Liquid-solid ratio
- Brine common fatty fishes Brine pack
- Oil double refined and de-odourised vegetable oil oil pack
 - Should not undergo any change during thermal processing

Tomato sauce – Sauce pack– mackerel, oyster

- Concentrated tomato pulp with additives
- Prepared from good quality tomato without any decomposition by mould, yeast or bacteria
- Colour red with a faint tinge of yellow, but never brownish should not deteriorate during heat processing and storage
- Odour and taste pure and natural
- Sauce heterogeneous ; not contain too much seeds or skin
- Consistency of sauce 28-30% solid content; sugar < 40%
- No extraneous matter (carrot pieces)
- No artificial colour and preservatives
- Slow heating conduction

- Curry pack recipe
- Natural style/salmon style no packing medium
 - Raw fish pieces with salt
 - No pre-cooking
 - Exudate produced during retorting acts as medium
- Dry pack
 - No packing medium
 - Fish pre-cooked and drained
 - Tuna flakes, fish spread

Additives – CMC, MSG, sugar, vegetables,

Additives used in canned foods

 Additives - suitable for human consumption and be free from abnormal taste, flavour and odour

Salt:

- Flavour
- Brining, blanching, packing medium
- Pure
- Should not contain appreciable quantities of magnesium chloride bitter taste and struvite formation increases – form crystals resembling glass in canned fish
- Calcium salts toughening of musculature
- Salt should comply with the "Codex Alimentarius Specifications for Food Grade Salt"

Oil:

- Double refined and de-odourised vegetable oil
- Flavouring substance, packing medium
- Olive oil, soyabean oil
- Clear, free from mucilage/turbidity , mould or other impurities
- Free from moisture, rancid odour
- Colour yellow to golden with only a slight tinge of green
- Odour and taste pure , good and natural, not acrid, bitter or too strong
- Resistant to cold

- Spices/seasonings
 - Flavour enhancement
 - Curry, formulated products
 - Powder, concentrate or small pieces
 - Pepper, cardamom, ginger, onion, mustard
- Taste enhancers MSG
- Preservatives
 - Antimicrobial
 - Chemical preservatives sulphite, metabisulphite,
 benzoate acid foods active at low pH

Antibiotics nicin boot resistant active at noutral

- Acids
 - Dip treatment
 - Citric acid controls sulphur blackening
 - Acetic acid firming up skin and flesh
- Cane sugar/sucrose
 - Fruit products syrup, jam
 - Condensed milk
- Vegetables
 - Adjuncts for formulated products
- Chelating agents