

# **New methods employed in managing store grain pests**

- 1. Insect proof bins**
- 2. Insect proof bags**
- 3. Traps**
- 4. Irradiation**
- 5. Nanoparticles**
- 6. Silos**
- 7. Microwave technology**
- 8. Controlled atmosphere**
- 9. Low & high temperatures**

# Contd... New methods employed in managing store grain pests

## 1. Insect proof bags



HDPE bags with lamination inside




Grain pro bag



Zero fly bag

# Contd... New methods employed in managing store grain pests

## 2. Insect proof bins



## Contd... New methods employed in managing store grain pests

### 3. UV light trap



# Contd... New methods employed in managing store grain pests

## 5. Nanoparticles

Some commonly used nanoparticles are

- ✓ Silver nanoparticles like  $\text{AgNO}_3$
- ✓ Silica like; diatomaceous earth, synthetic silica ( $\text{SiO}_2$ ), sands, Silica Aerogel
- ✓ Aluminium oxide ( $\text{Al}_2\text{O}_3$ ),
- ✓ Zinc oxide ( $\text{ZnO}$ ),
- ✓ Copper oxide ( $\text{Cu}_2\text{O}$ ),
- ✓ Titanium dioxide ( $\text{TiO}_2$ )

# Contd... New methods employed in managing store grain pests

## 6. Silos



# Contd... New methods employed in managing store grain pests

## 7. Microwave technology

- **Microwave dis-infestation seems to have a great potential as an alternative method of killing insects in stored-grain (Vadivambal *et al.* 2010).**
- **Microwave generators can be operated in continuous or pulsed mode.**
- **It kills insect stages like larvae, eggs etc.**
- **leaves no chemical residues and preserves quality**

# Contd... New methods employed in managing store grain pests

## 8. Controlled atmosphere

- It implies alteration of natural storage gases *i.e.* carbon dioxide, oxygen and nitrogen to render atmosphere in stores detrimental to pests
- It also refers to the process of changing the composition of existing atmosphere by introducing CO<sub>2</sub> or N<sub>2</sub>
- It can be achieved in following
  1. Adding gaseous or solid CO<sub>2</sub> (9-10%)
  2. Adding N<sub>2</sub> gas
  3. Removing O<sub>2</sub> gas(2-4%)
  4. Allowing metabolic processes which remove O<sub>2</sub> or add CO<sub>2</sub>

# Contd... New methods employed in managing store grain pests

## 9. Use of low and high temperatures

- **Optimal temperature for most of the storage insects is between 25° C and 33°C**
- **Temperatures between 13°C and 25° C will slow development**
- **High temperatures of 37° C and above will stop development**