2)Potassium Permanganate

Chemical Formula:-KMnO₄

Mol Wt:-158.03

Physical Properties:-

Colour: Dark Purple

Odour:-odourless.

Nature:- metallic prisms, almost opaque with blue metallic lustered

Taste :- sweet

Solubility:-. practically soluble in water, & more in boiling water.

Chemical properties:-

 \searrow When heated it decomposes at high temp (240°C)

- $2KMnO_4 \quad \bigtriangleup \quad K_2MnO_4 + MnO_2 + O_2$
- It is a powerful oxidizing agent in acidic solution it is reduced from Mn+7 to Manganious ion Mn+2 with evolution of O2.

 $2KMnO_4 + 3H_2SO_4 \longrightarrow K_2SO_4 + 2MnSO_4 + 3H_2O + 5[O]$

- In neutral or alkaline media also O2 is liberated .It brings bleaching Action.
- \succ KMnO₄ oxidize alcohol to Aldehyde
- Sulphide to Sulphur
- Ferrous Salt to Ferric
- ➢ Nitrites to nitrates
- ➢ Iodide to free iodine in acidic condition

Incompatibility It is incompatible with iodides, reducing agents and most organic matter.

Storage:- It should be stored in **tightly-closed container** & should **handled with care** since **explosion** may occur when it comes in contact with **oxidisable substance**

Uses:-

1.It is a topical anti-infective (antibacterial and anti-fungal). (*anti-infective due to the oxidizing property.*)2.It stains the skin & tissues.

Sol in 1:5000-1:15000 conc. it is used in cleaning wounds & ulcers for skin infection caused by bacteria & fungi.

3.It is also used as an **antidote in barbiturate & alkaloidal** poisoning. (A sol of 1: 5000 when used as gastric wash, oxidises poison & prevents their absorption.)

Compound acting by Halogenation Mechanism:-1.CHLORINATED LIME:-

- **Chemical formula** Ca(ClO)₂
- Synonym Bleaching Powder, Chloride of Lime.
- **Physical Properties:**
- Colour:- white powder
- **Odour:-** characteristic odour
- **Solubility:-** slightly soluble in water and in alcohol.

Storage: It should be stored in tightly closed containers. It is affected by moisture & heat.

Preparation:-

It is manufactured by the action of **chlorine on calcium hydroxide**

i.e.. The slaked lime is spread on shelves in suitable containerChlorine gas is introduced at the top of chamber & passed through the contents of the shelves.

this is usually done at 25° thus minimizing the formation of calcium chloride. when abs of chlorine is completed, powdered lime is blown into the chamber to absorb the excess of chlorine.

USES:-

- -It is used as **disinfectant & bleaching agent**.
- -It shows **bactericidal action**.
- -It is used to disinfect faeces, urine , sputum& other organic material.
- -It is employed for disinfecting drainages.
- -It is a powerful bleaching agent .Its powerful bleaching action must be considered while disinfecting coloured materials.
- -it is used as 1-2 g/l for sterilization of water.
- The treated water should be exposed to air & allowed to settle before use.
- -Chlorinated lime is used in the preparation of surgical chlorinated soda solution, employed as a wound disinfectant.