

Land as a resource

 A finite and valuable resource - basic amenities of life are drawn from this resource.
Soil - a renewable resource, rate of regeneration of soil is about 200-1000 years for the formation of 1" of soil depending on the climate and soil type.

Land degradation

Increasing population growth leads to increased demand for arable land (for producing food, fiber and fuel wood).

→ more and more pressure on the land resource

Soil formation is an extremely slow process.

Causes: Soil erosion, water-logging, salinization and contamination of the soil with the various industrial wastes.



Soil Erosion

Movement of soil components (especially surface litter and top soil) from one place to another.

Results in loss of fertility.

Types

- → Normal erosion or geologic erosion
 - gradual removal of top soil by natural processes, natural balance between erosion and renewal is maintained.
- → Accelerated erosion

Caused by anthropogenic activities; Rate of erosion > Rate of formation of soil; Overgrazing, deforestation, mining

Agents causing soil erosion

└→Climatic Agents

- Water in the form of torrential rains, rapid flow of water along slopes, run-off, and melting and movement of snow.
- Wind in the form of saltation (vertical movement of soil under the influence of direct pressure of stormy winds)

→Biotic Agents

- Excessive grazing, mining and deforestation
- > Top soil layer is disturbed due to the devoid of vegetal cover.

Desertification

> A process where the productive potential of arid and semi-arid lands falls by 10% or more. ➢ Moderate desertification − 10-25% drop Severe desertification - 25-50% drop Very severe desertification -> 50% drop Desertification is characterized by devegetation and loss of vegetal cover, depletion of ground, salinization and severe soil erosion Causes

→ Deforestation, Overgrazing, Mining...

Case Study

Selenium – Punjab

- In 1981-82, farmers from Hoshirapur and Nawanshehar Districts approached scientists of the Punjab Agricultural University (PAU), Ludhiana, as wheat crops had turned white.
- Soil analysis indicated selenium (Se) levels in the area were above toxic limits.
- Se is a naturally occurring trace element, essential for animal and human health, but the gap between requirement and excess is narrow.
- Soils containing 0.5 μg Se/kg or more are injurious to health.
- In some areas of Punjab, Se levels ranges from 0.31 μg/kg to 4.55 μg/kg.
- Rice cultivation requires the presence of standing water.
- Being highly soluble, Se dissolves and comes to the surface. The water then evaporates leaving the Se behind.