Homology Modelling



WHAT IS THE NEED OF COMPUTATIONAL PREDICTION OF PROTEIN STRUCTURE

- It is because the number of protein structures solved so far ar fewer that the number of genes known.
- The rare of discovery of new proteins far outweighs our abliity to functionally characterize
 them



WHAT IS THE NEED OF COMPUTATIONAL PREDICTION OF PROTEIN STRUCTURE

- Structures of membrane proteins, ion channels, transporters can be large and difficult to crystallize....
- Hence scientists opt for computational prediction of protein structures

Computational methods for protein structure prediciton

- There are mainly three methods of computational protein structure prediction such as....
- Homology or comparative modelling
- Fold recognition or otherwise also called Threading
- Ab initio methods

Protein structure



 Folding of a protein from a linear chain of amino acids to a three dimensional structures involves in amino acids interaction.

What is Homology modelling

- Homology modeling uses homologous sequences with known 3D structures for the prediction of the structure of a target sequence.
- Proteins sharing a significant similarity of sequence can be expected to share also a significant similarity of structure
- Protein tertiary structure is better conserved than amino acid sequence

Scheme of Homology modelling



Homology modelling



Are there any well characterized proteins similar to my protein?

What is the position-by-position target/template equivalence?

What is the detailed 3D structure of my protein?

Measure the model quality. Is my model any good?

Homology modelling software

Databases

- ModBase
- Genomic Threading Database

Proprietary

- Orchestrar (Tripos)
- Composer (Tripos)
- Modeller (Accelrys)
- Prime (Schrödinger)
- MOE (Chemical Computing Group)
- ICM (MolSoft)

Free or Open-Source

- MolIDE
- DeepView
- Mint
- Permol
- WhatIf
- Rosetta

Web Servers (sequence-based)

- PredictProtein
- SWISS-MODEL
- (PS)2
- CPHmodels 2.0
- 3D-JIGSAW
- ESyPred3D
- PROTEUS2
- HOMODELLER

Web Servers (sequence, secondary structure, other criteria)

- PHYRE
- LOOPP
- LOMETS --> I-TASSER
- MUSTER