

Center for Smart Agriculture Protected floriculture



Module 2:Components Pre-requisites for protected cultivation of flower crops Session 11: Types of growing media



- Growing the horticultural crops in the media other than the soil is called soil-less media.
- Soil mixes used for greenhouse production of potted plants, cut flowers & vegetables are highly modified mixtures of soil, organic and inorganic materials.



When top soil is included as a portion of the mixture, it is generally combined with other materials to improve the water holding capacity and aeration of the potting soil.

 Many greenhouses do not use topsoil as an additive to the soil mixes, but rather use a combination of these organic and inorganic components as an artificial soil mix.



Advantages

- Growers who do not have their own field are also able to grow crops.
- Soil-less culture media is free from pathogens and nematodes.
- It provides good aeration and drainage.



- Nutrient control: complete analysis of soil-less culture media is possible, which economizes the fertilizer use.
- Labour economics: Less handling time, sterilization, weeding, fertilizer application and watering.
- The light weight of soil-less substrates reduces the cost of transportation.



Peat: Consist of remains of aquatic, marsh bog

or swamp vegetation, preserved under water

in partially decomposed state.

- Stable source of organic material that holds a great deal of water and air.
- It is quite acidic (pH-3.5 to 4.0) and limestone added to adjust the pH.









Perlite:

- Grey white silicaceous material of volcanic origin mined from lava flow.
- It is neutral in Ph and negligible cation exchange capacity.
- Although cost are moderate but it is effective amendement for growing media.





Perlite



Vermiculite:

- It is micaceous mineral, expands markedly when heated.
- It is hydrated magnesium-aluminium-iron silicate.
- It is light in weight, neutral in reaction and insoluble in water.



Sphagnum moss:

- It is hydrated remains of acid bog plants such as *Sphagnum pappilosum and Sphagnum palustre*.
- It is sterile and light weight with high water holding capacity. It is able to absorb water10 to 20 times of its weight .
- It contains small amount of minerals.







Sphagnum moss

Vermiculite



Leaf mould: Leaf types of maple, oak, sycamore and elm are suitable for leaf mould.

- After composing of leaves to 12 to 18 months
 - , leaf mould is ready for use.
- It may contains nematodes as well as seeds or noxious insects and diseases, so it should be sterile before use.



Bark: It is partially composted and screened material of plant origin.

• It is beneficial to obtain bark from local source s to avoid cost of transport.

Rockwool: Produced by burning a mixture of coke, basalt, limestone and possibly slog from iron production.



- Composition is 60% basalt, 20% limestone, 20% coke.
- It is formulated to prescribe higher density to provide the air and water holding requirements of plants.







PolystreneFoam:Ithelpsinbringingimprovedaerationandlightweighttorootsubstrate.

Consist of white synthetic product containing numerous closed cells filled in air.
It is extremely light in weight, does not absorb water and has no appreciable CEC.





Polystrene foam



Sand:

Basic component of soil, particle ranges in

diameter 0.05mm-0.25mm.

- Least expensive among all inorganic amendements.
- The heaviest which may result in prohibitive transportation cost.



• **Rice hulls:** By products of rice milling industry. Extremely light in weight and very effective in improving drainage.



Calcinated clays: These are formed by heating montmorillonite clay minerals.

- The pottery like particles formed is six times as heavy as perlite.
- They have relatively high cation exchange as well as water holding capacity.
- They are very durable and useful amendment.



Bagasse:

- It is a waste by product of sugar industry.
- It may be shredded and or composted to produce material which can increase the aeration and drainage

properties of container media.



Bagasse



Coco-peat:

• It is a by product of coconut husk. After grinding

the husk, coco peat is ready.

Sawdust and shavings:

- These are by product of lumber mills.
- It is close to neutral in pH when thoroughly composted.



Thank you...