

Center for Smart Agriculture Course: Organic Farming



Rhizobium



Azotobacter


Azospirillum



PSM







Topic: Classification of different type of Biofertilizers

Centurion UNIVERSITY Shaping Lives... Empowering Communities...

Bacterial Fungal Algal Aquatic fern Earthworms

TYPES OF BIOFERTILIZERS



Azolla


Cyanobacteria



Bacteria:

Symbiotic nitrogen fixers.

Rhizobium, Azospirillum spp Free living nitrogen fixers. Azotobacter, Klebsiella etc., **Algal biofertilizers:** BGA in association with Azolla Anabena, Nostoc, Ocillatoria **Phosphate solubilising bacteria:** Pseudomonas, Bacillus megaterium **Fungal biofertilizer** VAM




Bacterial biofertilizers

The live cells of bacteria used as a biofertilizers These microbes contains unique gene called as Nif-Gene which make them capable of fixing nitrogen.

The nitrogen fixing bacteria work under two conditions, Symbiotically

Free living bacteria (non-symbiotic).


The symbiotic bacteria make an association with crop plants through forming nodules in their roots. The free living bacteria do not form any association but live freely and fix atmospheric nitrogen.




Symbiotic nitrogen fixers.

Most important symbiotic Nitrogen fixing bacteria is *Rhizobium* and *Azospirillum*.

Most important symbiotic Nitrogen fixing bacteria is *Rhizobium* and *Azospirillum*.






 \checkmark

Thename*Rhizobium*wasestablishedbyFrank in 1889.


 ✓ This genus has seven distinct species based on "Cross Inoculation Group Concept".






- ✓ More than twenty cross-inoculations groups have been established.
- ✓ A new classification has been established for *Rhizobium*.
- ✓ That is 'slow growing rhizobia' known as *Bradyrhizobium* and the other group is 'fast growing rhizobia' called *Rhizobium*.
- ✓ *Rhizobium* can fix **50-300** kg/ha









Azospirillum:

 It mainly present in cereal plants.
inhabits both root cells as well as surrounding of roots



 ✓ forming symbiotic relation and increasing nitrogen fixing potential of the cereal plant.

✓ Azospirillum is recognized as a dominant soil microbe
✓ nitrogen in the range of 20- 40 kg/ha in the
rhizosphere in non-leguminous plants such as cereals,
millets, Oilseeds, cotton etc.



Free living bacteria


Large number of free living or non -symbiotic bacteria (does not form nodules but makes association by living in the rhizosphere) present in soil.

Commonly used free living bacteria are

• Azotobactor

it will not associated with plant.

Azotobacter is a biofertilizer which provides the required amount of nitrogen to the plant from the soil.





Azotobactor

Azotobactor is a heterotrophic free living nitrogen fixing bacteria present in alkaline and neutral soils.

Azotobactor is the most commonly occurring species in arable soils of India.

Apart from its ability to fix atmospheric nitrogen in soils, it can also synthesize growth promoting substances such as auxins and gibberellins and also to some extent the vitamins.





Azotobactor bacteria



THANK YOU