

Center for Smart Agriculture Course: Organic Farming



Rhizobium



Azotobacter


Azospirillum




PSM







Topic: Botanicals and their uses Nitrogen-fixing biofertilizers




Mass production

Isolated bacterial cultures were subculture in to nutrient broth

✤The cultures were grown under shaking condition at 30±2°C


✤The culture incubated until it reaches maximum cell population of 10¹⁰ to 10¹¹

Under optimum condition this population level could be attained within 4-5 days for *Rhizobium* 5-7 days for *Azospirillum* and 6-7




The culture obtained in the flask is called
Starter culture

For large scale production , inoculum from starter culture is transferred in to large flasks / fermentor and grown until required level of cell count is reached




Nitrogen is the most limiting nutritional factor for plant growth. Suitable nitrogen application to growing plants has a favourable enhancing effect on growth, yield and quality. Since nitrogen is the main element in the composition of amino acids, which are required for the synthesis of proteins and other related compounds, it plays a role in almost all plant metabolic processes.



Nitrogen is also an integral part of the chlorophyll molecule responsible for plant photosynthesis. Symptoms of nitrogen deficiency generally appear on the bottom leaves first; the lower leaves on the tips turn brown, usually disintegrate, and fall off. Nitrogen biofertilizers help agriculturists to determine the nitrogen level in the soil

Centurion UNIVERSITY Shaping Lives... Empowering Communities...

Only N-fixing microorganisms bring additional supplies of a nutrient (N) into the soil/plant system. All other biofertilizers simply solubilize or mobilize the nutrients that are already present in soils. Microorganisms that have the capacity to fix atmospheric N2 can be used as efficient biofertilizers. Their application in soil improves the soil biota and reduces the need of chemical fertilizers.



Free-living nitrogen fixers

The free-living, or non-symbiotic, nitrogen-fixing bacteria live outside plant cells and are associated with the rhizosphere, the part of soil under the influence of plant roots and their exudates. They are of four types:


- Free-living non-photosynthetic aerobic nitrogenfixing bacteria such as Azotobacter, Beijerinckia and Derxia;

- Free-living non-photosynthetic anaerobic nitrogen-fixing bacteria such as Clostridium;

Azolla as a bio fertilizer


Centurion UNIVERSITY Shaping Lives... Empowering Communition of rice fields.

It has been used as a biofertilizer for a rice in all major rice growing countries including India, Thailand, Korea Philippines, Brazil and West Africa. The nitrogen fixing work is accomplished by the symbiotic relationship between the fern and BGA, Anabena azollae. In addition to nitrogen the decomposed Azolla also provides K, P, Zn and Fe to the crop






Azolla



Azolla biomass gets doubled within 5-7 days by vegetative methods. fix 40-80 kg nitrogen / ha / year. good manure for flooded rice. Increase of crop yield up to 15-20% has been observed while fertilizing the rice with Azolla Hybrids are growing faster Tolerant to heat and cold Fix 4-5% more nitrogen



Advantage of biofertilizers

Renewable source of nutrients Sustain soil health Supplement chemical fertilizers. Replace 25-30% chemical fertilizers Increase the grain yields by 10-40%. Decompose plant residues, and stabilize C:N ratio of soil Improve texture, structure and water holding capacity of soil No adverse effect on plant growth and soil fertility.



THANK YOU