NULL HYPOTHESIS

- NULL HYPOTHESIS simply means "NO <u>DIFFERENCE"</u>
- The hypothesis says that OBSERVED DIFFERENCE IS ENTIRELY DUE TO SAMPLING ERROR i.e. it occurred purely by chance.
- It is denoted by Ho.



In the test of significance, null hypothesis is postulated to establish the basis for calculating the probability that the difference occurred purely of chance.

GENERAL PROCEDURE FOR TESTING A HYPOTHESIS

- A NULL HYPOTHESIS, suitable to problem is set up
- An alternate hypothesis is defined, if necessary.
- iii. A suitable statistical test, using a relevant formula is calculated.
- iv. The DEGREE OF FREEDOM is determined.

v. Then the probability value (*p value*) is found out, corresponding to the calculated value of test and its degree of freedom

vi. If 'p value' is less than 0.05 - test is NOT SIGNIFICANT.

vii. If 'p value' is more than 0.05- test is SIGNIFICANT

EVALUATION

TEST OF SIGNIFICANCE:

- When the difference is significant-Null hypothesis is REJECTED
- When the difference is not significant-Null hypothesis is NOT REJECTED i.e. approved.

- The null hypothesis is never proved to be completely right or wrong, or true or false.
- But it is only REJECTED or NOT REJECTED at the probability level of significance concerned.

GOALS

- Technical null hypotheses are used to verify statistical assumptions.
- Scientific null assumptions are used to directly advance a theory. i.e. to approve it.
- Null hypotheses of homogeneity are used to verify that multiple experiments are producing consistent result
- ✓ It asserts the equality of effect of two or more alternative treatments, for example, a drug and a placebo, are used to reduce scientific claims based on statistical noise. This is the most popular null hypothesis; It is so popular that many statements about significant testing assume such null hypotheses.

ALTERNATIVE HYPOTHESIS

- It is defined as the prediction that there is a measurable interaction between variables
- It is also called as "MANTAINED hypothesis" or "RESEARCH hypothesis"
- It is denoted by H(a)
- Null hypothesis is opposed by alternative hypothesis.
- When null hypothesis is rejected, ALTERNATIVE HYPOTHESIS is not rejected and vice versa.

NORMAL DISTRIBUTION CURVE