

CALCIFICATION



Centurion
UNIVERSITY

Shaping Lives...
Empowering Communities...

Ms. Rupali Rupasmita Rout
Assistant Professor
Pharmacology

CALCIFICATION

Calcification is the process of deposition of calcium salts in tissues or organs, leading to the formation of calcium deposits. In cell injury, calcification can occur as a result of the accumulation of calcium ions within cells or in the extracellular matrix.

TYPES:

There are two main types of calcification in cell injury:

Dystrophic calcification: This type of calcification occurs in dead or dying cells and tissues, usually as a result of tissue injury or inflammation. It is a non-physiological process and is considered an abnormal accumulation of calcium. For example, Calcium deposits can form in dead bone, leading to the formation of bone cysts and other lesions.

Physiological calcification: This type of calcification occurs in normal cells and tissues, as a result of normal cellular processes. For example, bone formation is a type of physiological calcification that occurs during normal bone growth and development.

CAUSES:

Aging: As people age, the body's ability to regulate calcium levels decreases, which can lead to the formation of calcium deposits in soft tissues.

Metabolic disorders: Certain metabolic disorders, such as hyperparathyroidism, can cause an increase in the levels of calcium in the blood, leading to calcification.

Inflammation: Inflammation of soft tissues can cause calcification to occur as a result of the deposition of calcium salts in the affected area.

Trauma: Trauma to a tissue can cause calcification to occur as a result of

the deposition of calcium salts in the damaged area.

Chronic disease: Certain chronic diseases, such as atherosclerosis, can cause calcification in blood vessels, leading to a stiffening of the arterial walls.

Infection: Certain infections, such as tuberculosis, can cause calcification in the affected tissues.

PATHOGENESIS:

- Uptake of calcium ions: Calcium ions are taken up into the cell from the extracellular fluid through ion channels or transporters.
- Accumulation of calcium: Once inside the cell, calcium ions can accumulate in different cellular organelles, such as the endoplasmic reticulum or the mitochondria.
- Formation of calcium crystals: When the levels of calcium ions inside the cell become high enough, they can precipitate out and form calcium crystals.
- Activation of cellular responses: The formation of calcium crystals can trigger various cellular responses, such as the release of enzymes or other signaling molecules, which can further contribute to calcification.
- Expansion of calcification: Once started, the process of calcification can continue to expand as more calcium ions are taken up into the cell and deposited in the form of calcium crystals causes cell injury.

Examples of calcification in cell injury:

Atherosclerosis: Calcification can occur in the arterial walls, leading to the

formation of plaques that can cause narrowing of the blood vessels, which can restrict blood flow and increase the risk of cardiovascular disease.

Chronic kidney disease: Calcium deposits can accumulate in the kidneys, leading to kidney stones and decreased kidney function.

Pancreatitis: Calcium deposits can form in the pancreas during pancreatitis, a condition characterized by inflammation of the pancreas.

Tuberculosis: Calcium deposits can form in the lungs during tuberculosis, a bacterial infection that causes inflammation and tissue damage.

Rheumatoid arthritis: Calcium deposits can form in the joints during rheumatoid arthritis, an autoimmune disorder that causes inflammation and damage to the joints.

Osteoporosis: Calcium deposits can accumulate in the bones during osteoporosis, a condition that leads to weakened bones and increased risk of fractures.

