

# INTRODUCTION OF INFLAMMATION



**Centurion**  
**UNIVERSITY**

*Shaping Lives...*  
*Empowering Communities...*

**Ms. Rupali Rupasmita Rout**  
**Assistant Professor**

# INFLAMMATION

Inflammation is a complex biological response of the body's tissues to harmful stimuli, such as infections, injuries, or toxins. It is a protective response that involves a series of physiological processes for removing the harmful stimuli and promoting tissue repair.

- During inflammation, the body's immune system activates a series of cells and signaling molecules, including white blood cells, cytokines, and chemokines, which work together to eliminate the harmful agent and initiate the healing process.
- While inflammation is a necessary and important process for the body's defense against harmful agents, it can also cause damage to healthy tissues if it becomes chronic or excessive. Chronic inflammation has been linked to a range of diseases, including arthritis, cardiovascular disease, and cancer.

## CAUSES/ETIOLOGY:

**Inflammation can be caused by a variety of factors, including:**

1. **Infections:** Infections caused by bacteria, viruses, fungi, and other pathogens can trigger an immune response and cause inflammation.
2. **Injuries:** Tissue damage caused by physical trauma, such as cuts, bruises, burns, or fractures, can trigger an inflammatory response.
3. **Allergies:** Exposure to allergens, such as pollen, dust, or certain foods, can trigger an allergic reaction and cause inflammation.
4. **Autoimmune disorders:** In autoimmune diseases, the immune system mistakenly attacks healthy tissues, leading to inflammation and tissue damage.
5. **Chronic stress:** Prolonged stress can lead to an overactive immune

response and chronic inflammation.

6. **Environmental factors:** Exposure to environmental toxins, such as air pollution or cigarette smoke, can trigger an inflammatory response.
  7. **Poor diet:** Diets high in processed foods, sugar, and unhealthy fats can promote inflammation, while diets rich in fruits, vegetables, and anti-inflammatory nutrients can help reduce it.
- 8. Genetic, environmental, and lifestyle factors.**

## **SIGN & SYMPTOMS:**

The signs and symptoms of inflammation can vary depending on the type and location of the inflammation, but the following are some of the most common signs and symptoms:

1. **Redness:** The affected area may become red due to increased blood flow to the area.
2. **Heat:** Inflammation can cause the affected area to feel warm or even hot to the touch.
3. **Swelling:** Swelling or edema is a common sign of inflammation and is caused by the accumulation of fluid in the affected area.
4. **Pain:** Inflammation can cause pain or tenderness in the affected area.
5. **Loss of function:** Inflammation can cause stiffness, limited range of motion, and weakness, which can result in a loss of function.
6. **Fever:** In some cases, inflammation can cause a fever as a result of the immune system's response to the harmful stimuli.
7. **Fatigue:** Chronic inflammation can cause fatigue and a general feeling of being unwell.

**TYPES OF INFLAMMATION:** There are two main types of inflammation: acute and chronic.

1. **Acute inflammation:** Acute inflammation is a rapid and short-lived response to harmful stimuli, such as an injury or infection. It is characterized by the classic signs of inflammation, including redness, heat, swelling, pain, and loss of function. Acute inflammation is a necessary and important part of the body's immune response, and it helps to eliminate the harmful agent and promote tissue repair.
2. **Chronic inflammation:** Chronic inflammation is a prolonged and persistent response to harmful stimuli that lasts for weeks, months, or even years. It is a low-grade, smoldering response that can occur in response to persistent infections, autoimmune disorders, or exposure to environmental toxins. Chronic inflammation can lead to tissue damage and is associated with the development of a range of chronic diseases, including heart disease, diabetes, and cancer.

Both acute and chronic inflammation are important for the body's defense against harmful stimuli, but chronic inflammation can be harmful if it becomes excessive or sustained.

### **MEDIATORS OF INFLAMMATION:**

Mediators of inflammation are a diverse group of signaling molecules that are released during an inflammatory response. These mediators include:

1. **Cytokines:** Cytokines are signaling proteins that are produced by immune cells in response to an infection or injury. They play a crucial role in the regulation of inflammation, by attracting immune cells to the site of inflammation and stimulating their activity.
2. **Chemokines:** Chemokines are a type of cytokine that are responsible for the recruitment and migration of immune cells to the site of inflammation.

3. **Prostaglandins:** Prostaglandins are lipid molecules that are produced by cells during inflammation. They are responsible for regulating blood flow, increasing vascular permeability, and promoting the migration of immune cells to the site of inflammation.
4. **Leukotrienes:** Leukotrienes are lipid molecules that are produced by immune cells during inflammation. They are involved in the regulation of vascular permeability, the migration of immune cells, and the activation of the immune response.
5. **Histamine:** Histamine is a molecule that is released by mast cells and basophils during an inflammatory response. It is involved in the regulation of blood flow, vascular permeability, and the activation of immune cells.
6. **Nitric oxide:** Nitric oxide is a gas that is produced by immune cells during inflammation. It is involved in the regulation of blood flow, vascular permeability, and the activation of immune cells.

Overall, mediators of inflammation play a crucial role in the regulation of the inflammatory response. They work together to attract immune cells to the site of inflammation, promote the migration and activation of these cells, and regulate the immune response to eliminate the harmful agent and promote tissue repair.